Printing date 11.03.2024

Revision: 11.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal	word	11/ornina
้อเบทส	WUILD	Warning

- Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

•	Precautionary sta	tements
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P264	Wash thoroughly after handling.
	P280	Wear eye protection / face protection.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
	P332+P313	If skin irritation occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P501	Dispose of contents/container in accordance with local/regional/national/
		international regulations.
•	Additional inform	ation:
	Contains reaction	mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-
	2H-isothiazol-3	-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, 4-
	morpholinecarbald	ehyde. May produce an allergic reaction.

(Contd. on page 2)

GB

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

(Contd. of page 1)

### Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

Dangerous components:		
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	2.5-5%
CAS: 108-01-0 EINECS: 203-542-8	2-dimethylaminoethanol Flam. Liq. 3, H226 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335:C ≥ 5 %	1-2.5%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	0.5-1%
CAS: 4394-85-8 EINECS: 224-518-3	4-morpholinecarbaldehyde	<i>≥</i> 0.1-<0.5%
CAS: 2634-33-5 EINECS: 220-120-9	<ul> <li>1,2-benzisothiazol-3(2H)-one</li> <li>Eye Dam. 1, H318</li> <li>Aquatic Acute 1, H400</li> <li>Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317</li> <li>Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %</li> </ul>	<0.1%
CAS: 55965-84-9 EC number: 611-341-5	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<i>≥</i> 0.00025-<0.0025%

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation In case of unconsciousness bring patient into stable side position for transport.

(Contd. on page 3)

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

(Contd. of page 2)

### Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

· After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

<sup>.</sup> 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- 6.2 Environmental precautions:

*Do not allow product to reach sewage system or water bodies. Dilute with much water.* 

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep containers tightly sealed. • Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions:*

Protect from frost.

- Keep container tightly sealed.
- · Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

GB

(Contd. on page 4)

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

# Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

(Contd. of page 3)

0.4 Control normator-	
· 8.1 Control parameters	a monitoring of the works loop
Components with critical values that requir	
34590-94-8 Dipropylene glycol monomethyl	l ether
WEL Long-term value: 308 mg/m³, 50 ppm Sk	
108-01-0 2-dimethylaminoethanol	
WEL Short-term value: 22 mg/m <sup>3</sup> , 6 ppm	
Long-term value: 7.4 mg/m <sup>3</sup> , 2 ppm	
112-34-5 2-(2-butoxyethoxy)ethanol	
WEL Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm	
Long-term value: 67.5 mg/m³, 10 ppm	
· Additional information: The lists that were va	alid during the compilation were used as basis.
· 8.2 Exposure controls	
· Appropriate engineering controls No further	
Individual protection measures, such as pe	ersonal protective equipment
General protective and hygienic measures	
The usual precautionary measures should be a	
Keep away from foodstuffs, beverages and foo	
Instantly remove any soiled and impregnated g	
Wash hands during breaks and at the end of the Avoid contact with the eyes and skin.	ie work.
• Breathing equipment: Not required.	
· Hand protection	
Protective gloves.	e and resistant to the product/ the substance/ ti
Protective gloves. The glove material has to be impermeable	e and resistant to the product/ the substance/ tl
Protective gloves.	e and resistant to the product/ the substance/ tl
Protective gloves. The glove material has to be impermeable preparation. • Material of gloves	e and resistant to the product/ the substance/ th only depend on the material, but also on further man
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mark	only depend on the material, but also on further man nufacturer.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to man Use gloves of stable material (e.g. Nitrile) - if n	only depend on the material, but also on further man nufacturer.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b>	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found	only depend on the material, but also on further man nufacturer.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed.	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed. <b>Eye/face protection</b> Gauze goggles	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed.	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed. <b>Eye/face protection</b> Gauze goggles	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability.
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed. <b>Eye/face protection</b> Gauze goggles	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to man Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed. <b>Eye/face protection</b> Gauze goggles <b>Body protection:</b> Protective work clothing.	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an <b>perties</b>
Protective gloves. The glove material has to be impermeable preparation. <b>Material of gloves</b> The selection of the suitable gloves does not of of quality and varies from manufacturer to manu- Use gloves of stable material (e.g. Nitrile) - if n <b>Penetration time of glove material</b> The exact break trough time has to be found has to be observed. <b>Eye/face protection</b> Gauze goggles <b>Body protection:</b> Protective work clothing. <b>SECTION 9: Physical and chemical pro</b>	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an <b>perties</b>
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem	only depend on the material, but also on further man nufacturer. ecessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an <b>perties</b>
Protective gloves. The glove material has to be impermeable preparation. • Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Gauze goggles • Body protection: Protective work clothing. SECTION 9: Physical and chemical pro • 9.1 Information on basic physical and chem • General Information • Physical state • Colour:	only depend on the material, but also on further man nufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an <b>perties</b> <b>nical properties</b> Fluid Whitish
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell:	ponly depend on the material, but also on further man nufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold:	ponly depend on the material, but also on further man nufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic Not determined.
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point:	ponly depend on the material, but also on further man nufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	only depend on the material, but also on further man hufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an <b>perties</b> <b>nical properties</b> Fluid Whitish Characteristic Not determined. Not determined
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point:	ponly depend on the material, but also on further man mufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic Not determined. Not determined 100 °C (7732-18-5 water, distilled, conductivity of
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	ponly depend on the material, but also on further man mufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic Not determined. Not determined 100 °C (7732-18-5 water, distilled, conductivity of of similar purity)
Protective gloves. The glove material has to be impermeable preparation. Material of gloves The selection of the suitable gloves does not of of quality and varies from manufacturer to mar Use gloves of stable material (e.g. Nitrile) - if n Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Gauze goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	ponly depend on the material, but also on further man mufacturer. eccessary tricoted to improve the wearability. out by the manufacturer of the protective gloves an perties nical properties Fluid Whitish Characteristic Not determined. Not determined 100 °C (7732-18-5 water, distilled, conductivity of

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

### Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

	(Contd. of page
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
рН at 20 °C	7.5
Viscosity:	
Kinematic viscosity at 20 °C	18 s (DIN 53211/4)
dynamic:	Not determined.
Solubility	
Water:	Partly miscible
Partition coefficient n-octanol/water (log	
value)	Not determined.
Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity c
	of similar purity)
Density and/or relative density	
Density at 20 °C	1-1.1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	11(1)
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	Floudel is not explosive.
Evaporation rate	Not determined.
•	
Information with regard to physical haza classes	ard
Explosives	Void
	Void
Flammable gases Aerosols	Void
	Void
Oxidising gases	
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5** *Incompatible materials:* No further relevant information available.

(Contd. on page 6)

GB

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

(Contd. of page 5)

• 10.6 Hazardous decomposition products: None

## **SECTION 11: Toxicological information**

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

34590-94-8 Dipropylene glycol monomethyl ether

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 9,500 mg/kg (rat)

**108-01-0 2-dimethylaminoethanol**Oral LD50 2.000 mg/kg (rat

 Oral
 LD50
 2,000 mg/kg (rat)

 Dermal
 LD50
 1,370 mg/kg (rabbit)

Inhalative LC50/4 h 3.25 mg/l (mouse)

4394-85-8 4-morpholinecarbaldehyde

Dermal LD50 >18,300 mg/kg (rabbit)

· Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Causes serious eye irritation.

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- 11.2 Information on other hazards

### · Endocrine disrupting properties

Decamethylcyclopentasiloxan

556-67-2 octamethylcyclotetrasiloxane

## SECTION 12: Ecological information

### · 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

- EC 50/48h 3.27 mg/l (Daphnie)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- <sup>•</sup> 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)

GB

List II List II

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

### Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

(Contd. of page 6)

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<sup>•</sup> 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	to Not applicable.
· UN "Model Regulation":	Void

### SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

### <sup>.</sup> Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB

Printing date 11.03.2024

Version number 7

Revision: 11.03.2024

## Trade name AQUA NANOLACK NT 100 KOMP.A SEIDENMATT

(Contd. of page 7)

SECTION 16: Other information
This information is based on our present knowledge. However, this shall not constitute a guarante
for any specific product features and shall not establish a legally valid contractual relationship.
· Relevant phrases
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.
<ul> <li>RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation Concerning the International Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concernin the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Flam. Liq. 3: Flammable liquids – Category 3</li> <li>Acute Tox. 3: Acute toxicity – Category 3</li> <li>Acute Tox. 4: Acute toxicity – Category 4</li> <li>Acute Tox. 4: Acute toxicity – Category 1</li> <li>Skin Corr. 18: Skin corrosion/irritation – Category 1</li> <li>Eye Dam. 1: Serious eye damage/eye irritation – Category 1</li> <li>Eye Dam. 1: Schin sensitisation – Category 1</li> <li>Skin Sens. 11: Skin sensitisation – Category 1</li> <li>Skin Sens. 12: Skin sensitisation – Category 1</li> <li>Skin Sens. 13: Skin sensitisation – Category 1</li> <li>Skin Sens. 14: Skin sensitisation – Category 1</li> <li>Skin Sens. 15: Skin sensitisation – Category 1</li> <li>Skin Sens. 16: Skin sensitisation – Category 1</li> <li>Skin Sens. 17: Skin sensitisation – Category 1</li> <li>Skin Sens. 18: Skin sensitisation – Category 1</li> <li>Skin Sens. 18: Skin sensitisation – Category 1</li> <li>Skin Sens. 19: Skin sensitisation – Category 1</li> <li>Skin Sens. 19: Skin sensitisation – Category 1</li> <li>Skin Sens. 11: Ha</li></ul>
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
• * Data compared to the previous version altered.