GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.08.2023

Revision: 16.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name AQUA NANOLACK NT 100 KOMP.B 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Hardening agent/ Curing agent · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401 · Informing department: chemikalieninfo@murexin.com 1.4 Emergency telephone number: UK National poisons Emergency number.: +44 (0) 870 600 6266 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 corrosion Eye Dam. 1 H318 Causes serious eye damage. Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS05 GHS07 · Signal word Danger · Hazard-determining components of labelling: Hexamethylene diisocyanate oligomers, isocyanurate poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate Isophorone diisocyanate oligomers cyclohexyldimethylamine Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. (Contd. on page 2)

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

	(Contd. of page 1)
 Precautionary st 	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· Additional inform	nation:
Contains isocyana	ates. May produce an allergic reaction.
As from 24 Augus	t 2023 adequate training is required before industrial or professional use.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

[.] 3.2 Mixtures

Description:

Mixture consisting of the following components with harmless additives. Aliphatisches Polyisocyanat

Dangerous components:		
EC number: 931-297-3 Reg.nr.: 01-2119488934-20- 0000	Hexamethylene diisocyanate oligomers, isocyanurate Consisting of: 822-06-0 hexamethylene diisocyanate (0.09%) ◆ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335 EUH204	25-50%
EC number: 931-312-3 Reg.nr.: 01-2119488734-24	Isophorone diisocyanate oligomers Skin Sens. 1, H317; STOT SE 3, H335	10-25%
CAS: 9046-01-9 EC number: 618-558-4	poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate	<u>≥</u> 5-<10%
CAS: 98-94-2 EINECS: 202-715-5 Reg.nr.: 01-2119533030-60	 cyclohexyldimethylamine ♠ Flam. Liq. 3, H226 ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 ♦ Skin Corr. 1B, H314 ♦ Aquatic Chronic 2, H411 	<i>≥</i> 0.5-<1%
CAS: 822-06-0 EINECS: 212-485-8 Reg.nr.: 01-2119457571-37- 0001	hexamethylene diisocyanate Acute Tox. 1, H330 Resp. Sens. 1, H334 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 EUH204 Specific concentration limits: Resp. Sens. 1; H334:C ≥ 0.5 % Skin Sens. 1; H317; C ≥ 0.5 %	<i>≥</i> 0.1-<0.59

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

CAS: 4098-71-9 EINECS: 223-861-6 Reg.nr.: 01-2119490408-31- 0001	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate Acute Tox. 1, H330 Resp. Sens. 1, H334 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 EUH204 Specific concentration limits: Resp. Sens. 1: H334:C ≥ 0.5 %	(Contd. of page 2) ≥0.1-<0.25%
	Specific concentration limits: Resp. Sens. 1; H334:C \geq 0.5 % Skin Sens. 1; H317: C \geq 0.5 %	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

• After swallowing In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- [.] Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

(Contd. on page 4)

GB

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

· Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

822-06-0 hexamethylene diisocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO

4098-71-9 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO

Ingredients with biological limit values:

822-06-0 hexamethylene diisocyanate

BMGV 1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

4098-71-9 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

BMGV 1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

(Contd. on page 5)

GB

Avoid contact with the eyes and skin.

- GB

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

	(Contd. of page 4
· Breathing equipment:	
Breathing protection recommended.	
	se breathing filter apparatus. In case of intensive of
longer exposure use breathing apparatus that	is independent of circulating air.
· Hand protection	
Protective gloves.	
	e and resistant to the product/ the substance/ the
preparation.	
· Material of gloves	
Butyl rubber, BR	
Nitrile rubber, NBR	only depend on the meterial but also on further marks
	only depend on the material, but also on further marks
of quality and varies from manufacturer to many • Penetration time of glove material	กนาสิ่งในเอา.
	l out by the manufacturer of the protective gloves and
has to be observed.	i out by the manufacturer of the protective gioves and
• Eye/face protection Gauze goggles	
• Body protection: Protective work clothing.	
Body protection. Trotective work clothing.	
SECTION 9: Physical and chemical pro	operties
· 9.1 Information on basic physical and cher	mical properties
· General Information	
· Physical state	Fluid
· Colour:	Colourless
· Smell:	Characteristic
[·] Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	Not determined
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
Upper:	Not determined.
Flash point:	76 °C
Auto-ignition temperature:	445 °C
· Decomposition temperature:	Not determined.
· pH	Mixture is non-soluble (in water).
· Viscosity:	Not determined
· Kinematic viscosity	Not determined.
· dynamic at 20 °C: · Solubility	200 mPas
. 31 ///////////////////////////////////	
-	Partly soluble
· Water:	Partly soluble
· Water: · Partition coefficient n-octanol/water (log	-
 Water: Partition coefficient n-octanol/water (log value) 	Not determined.
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: 	
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density 	Not determined. >0 hPa
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 	Not determined. >0 hPa 1.1 g/cm³
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density 	Not determined. >0 hPa 1.1 g/cm ³ Not determined.
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 	Not determined. >0 hPa 1.1 g/cm³
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information 	Not determined. >0 hPa 1.1 g/cm ³ Not determined.
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: 	Not determined. >0 hPa 1.1 g/cm ³ Not determined. Not determined.
 Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information 	Not determined. >0 hPa 1.1 g/cm ³ Not determined.

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

	(Contd. of page
· Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Change in condition	·	
· Evaporation rate	Not determined.	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
[.] Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
[·] Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with alcohols, amines, aqueous acids and alkalis
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Harmful if inhaled.
- · LD/LC50 values that are relevant for classification:

98-94-2 cyclohexyldimethylamine

Oral LD50 348 mg/kg (rat)

Inhalative LC50/4 h 1.88 mg/l (rat)

•

- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · STOT-single exposure May cause respiratory irritation.

(Contd. on page 7)

GB ·

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

(Contd. of page 6)

Trade name AQUA NANOLACK NT 100 KOMP.B

[.] 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- [.] 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

Void
Void
Void
Void
1010
Ma
No

GB

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

(Contd. of page 7)

Trade name AQUA NANOLACK NT 100 KOMP.B

 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· UN "Model Regulation":

SECTION 15: Regulatory information

[•] 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.
- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 3: Acute toxicity Category 3
- Acute Tox. 1: Acute toxicity Category 1
- Acute Tox. 4: Acute toxicity Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 9)

GB

Printing date 16.08.2023

Version number 6

Revision: 16.08.2023

Trade name AQUA NANOLACK NT 100 KOMP.B

(Contd. of page 8) Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

** Data compared to the previous version altered.