Revision: 09.09.2021

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 5 (replaces version 4)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name AQUA NANOLACK NT 100 KOMP. A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MUREXIN GmbH

Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

- · Informing department: chemikalieninfo@murexin.com
- · 1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

(Contd. on page 2)

Printing date 09.09.2021 Version number 5 (replaces version 4) Revision: 09.09.2021

#### Trade name AQUA NANOLACK NT 100 KOMP. A

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture consisting of the following components with harmless additives.

| Dangerous components:   |   |        |  |
|---|---|--------|--|
| CAS: 34590-94-8<br>EINECS: 252-104-2                            | Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit   |        |  |
| CAS: 108-01-0<br>EINECS: 203-542-8                              | 2-dimethylaminoethanol      Flam. Liq. 3, H226     Skin Corr. 1B, H314     Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332     Specific concentration limit: STOT SE 3; H335: C ≥ 5 %  |        |  |
| CAS: 112-34-5<br>EINECS: 203-961-6<br>Reg.nr.: 01-2119475104-44 | 2-(2-butoxyethoxy)ethanol  © Eye Irrit. 2, H319   | 0.5-1% |  |
| CAS: 2634-33-5<br>EINECS: 220-120-9                             | 1,2-benzisothiazol-3(2H)-one  Eye Dam. 1, H318  Aquatic Acute 1, H400  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %  | <0.5%  |  |
| CAS: 55965-84-9   | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  Skin Corr. 1B, H314  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)  Skin Sens. 1A, H317  Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %  Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %  Eye Dam. 1; H318: C ≥ 0.6 %  Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %  Skin Sens. 1A; H317: C ≥ 0.0015 % |        |  |

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing In case of persistent symptoms consult doctor.

(Contd. on page 3)

Printing date 09.09.2021 Version number 5 (replaces version 4) Revision: 09.09.2021

#### Trade name AQUA NANOLACK NT 100 KOMP. A

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep containers tightly sealed.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

- Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

### 34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

#### 108-01-0 2-dimethylaminoethanol

WEL Short-term value: 22 mg/m³, 6 ppm Long-term value: 7.4 mg/m³, 2 ppm

(Contd. on page 4)

Printing date 09.09.2021 Version number 5 (replaces version 4) Revision: 09.09.2021

#### Trade name AQUA NANOLACK NT 100 KOMP. A

(Contd. of page 3)

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Hand protection Protective gloves.
- · Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Colour: Whitish Characteristic

· Boiling point or initial boiling point and

boiling range 100 °C (7732-18-5 water, distilled, conductivity or

of similar purity) Not applicable

Flash point: Not applicableSelf-inflammability: Product is not selfigniting.

· pH at 20 °C 7.

· Viscosity:

· Kinematic viscosity at 20 °C 18 s (DIN 53211/4)

· Solubility

· Water: Partly miscible

• Steam pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or

of similar purity)

· Density and/or relative density

· Density at 20 °C 1 g/cm³

- · 9.2 Other information
- · Appearance:

Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void

(Contd. on page 5)

Printing date 09.09.2021 Version number 5 (replaces version 4) Revision: 09.09.2021

#### Trade name AQUA NANOLACK NT 100 KOMP. A

|   |      | (Contd. of page 4) |
|---|------|--------------------|
| · Oxidising gases                       | Void |                    |
| · Gases under pressure                  | Void |                    |
| Flammable liquids                       | Void |                    |
| Flammable solids                        | Void |                    |
| · Self-reactive substances and mixtures | Void |                    |
| · Pyrophoric liquids                    | Void |                    |
| Pyrophoric solids                       | Void |                    |
| Self-heating substances and mixtures    | Void |                    |
| Substances and mixtures, which emit     |      |                    |
| flammable gases in contact with water   | Void |                    |
| · Oxidising liquids                     | Void |                    |
| Oxidising solids                        | Void |                    |
| · Organic peroxides                     | Void |                    |
| Corrosive to metals                     | Void |                    |
| Desensitised explosives                 | Void |                    |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| • | · LD/LC50 values that are relevant for classification: |          |                   |  |  |
|---|--|----------|-------------------|--|--|
|   | 34590-94-8 Dipropylene glycol monomethyl ether         |          |                   |  |  |
|   | Oral   | LD50     | 5,135 mg/kg (rat) |  |  |
|   | Dermal   | LD50     | 9,500 mg/kg (rat) |  |  |
|   | 108-01-0 2-dimethylaminoethanol                        |          |                   |  |  |
|   | Oral   | LD50     | 2,000 mg/kg (rat) |  |  |
|   | Dermal   | LD50     | 1,370 mg/kg (rbt) |  |  |
|   | Inhalative   | LC50/4 h | 3.25 mg/l (mus)   |  |  |

#### · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

(Contd. on page 6)

Printing date 09.09.2021

Version number 5 (replaces version 4)

#### Trade name AQUA NANOLACK NT 100 KOMP. A

(Contd. of page 5)

Revision: 09.09.2021

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

| 14.1 UN number or ID number<br>ADR, ADN, IMDG, IATA        | Void                     |  |
|--|--------------------------|--|
| 14.2 UN proper shipping name<br>ADR, ADN, IMDG, IATA       | Void                     |  |
| 14.3 Transport hazard class(es)                            |                          |  |
| · ADR, ADN, IMDG, IATA<br>· Class                          | Void                     |  |
| 14.4 Packing group<br>ADR, IMDG, IATA                      | Void                     |  |
| · 14.5 Environmental hazards:<br>· Marine pollutant:       | No                       |  |
| 14.6 Special precautions for user                          | Not applicable.          |  |
| 14.7 Maritime transport in bulk accordi<br>IMO instruments | ng to<br>Not applicable. |  |

(Contd. on page 7)

Printing date 09.09.2021 Version number 5 (replaces version 4) Revision: 09.09.2021

Trade name AQUA NANOLACK NT 100 KOMP. A

| (Contd. | of | page | 6 |
|---------|----|------|---|
|---------|----|------|---|

UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* Data compared to the previous version altered.