Printing date 21.05.2025

Revision: 21.05.2025

• 1.1 Product identifier • Trade name <u>AQUA TOPCOAT EP 150 TC KOMP. B</u> • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• Application of the substance / the mixture Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

· Informing department: chemikalieninfo@murexin.com

1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- [•] 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

m-phenylenebis(methylamine)

· Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- P280 Wear protective gloves / face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- P362+P364 Take off contaminated clothing and wash it before reuse.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

GB

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

(Contd. of page 1)

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture consisting of the following components with harmless additives.

· Dangerous components:			
CAS: 1477-55-0			
EINECS: 216-032-5	 Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317 Aquatic Chronic 3, H412 		
CAS: 2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	≥0.1-<0.5%	
EINECS: 220-666-8	 Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1A, H317 		
	Acute Tox. 4, H302; Skin Sens. 1A, H317		
	ATE: LD50 oral: 1,030 mg/kg		
	Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.001$ %		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. • After swallowing In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- [·] Suitable extinguishing agents
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

– GB

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

(Contd. of page 2)

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

[•] 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed containers. • **Information about protection against explosions and fires:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- Protect from frost.

· Storage class 10

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Breathing equipment:

Not required. Use breathing protection in case of insufficient ventilation.

Filter A/P2.

Hand protection Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Butyl rubber, BR

Nitrile rubber, NBR

- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection Tightly sealed safety glasses.
- Body protection: Protective work clothing.

(Contd. on page 4)

GB

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

(Contd. of page 3)

9.1 Information on basic physical and cher	mical properties
General Information	Linuid
Physical state	Liquid
Colour:	Opaque
Smell:	Not characteristic
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	100 °C (7732-18-5 water, distilled, conductivity of
bonnig runge	of similar purity)
I away and wanter available in limit	or sinniar punty)
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>100 °C
Decomposition temperature:	Not determined.
pH at 20 °C	10.5
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	285 mPas
Solubility	
Water:	Partly miscible
Partition coefficient n-octanol/water (log	
value)	Not determined.
Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity of
oleann pressure al 20 G.	
	of similar purity)
Density and/or relative density	(aa () a
Density at 20 °C	1.06 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
· ·	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	- / /
Water:	61.5 %
Solids content:	37.9 %
Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids	
Pyrophoric solids	Void
Self-heating substances and mixtures	Void

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

		(Contd. of page 4)
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Exothermic polymerisation

Reacts with acids, alkalis and oxidizing agents

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• **10.6 Hazardous decomposition products:** Irritant gases/vapours

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1,030 mg/kg (ATE)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity* Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

EC 50 37 mg/l (Acartia Tonsa) (DIN 38412 (72h))

42 mg/l (G) (DIN 38412 24h)

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

GB

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

(Contd. of page 5)

· 12.4	Mobilit	y in soil 🛽	lo further relev	ant information	available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

(Contd. on page 7)

Printing date 21.05.2025

Version number 5

Revision: 21.05.2025

Trade name AQUA TOPCOAT EP 150 TC KOMP. B

(Contd. of page 6)

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

[.] Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled. H412 Harmful to aquatic life with long lasting effects. · Contact: chemikalieninfo@murexin.com (+43 02622/27401) · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.