

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** **BAU- UND FLIESENKLEBER BFK 05**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Tile adhesive
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MUREXIN GmbH  
Franz v. Furtenbachstr. 1  
A-2700 Wiener Neustadt  
Tel.: +43 (0)2622/27401
- **Informing department:** chemikalieninfo@murexin.com
- **1.4 Emergency telephone number:**  
UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust.
P280	Wear protective gloves / eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

**Trade name BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 1)



P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components with harmless additives.

- **Dangerous components:**

CAS: 65997-15-1 EINECS: 266-043-4	Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)	25-50%
	 Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat substance with a Community workplace exposure limit	5-10%

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
Use fire fighting measures that suit the environment.  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

Trade name **BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 2)

#### SECTION 6: Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

##### · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

##### · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

##### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

##### · 7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

##### · Information about protection against explosions and fires: No special measures required.

##### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage

##### · Requirements to be met by storerooms and containers: Store only in the original container.

##### · Information about storage in one common storage facility:

Store away from water.

Store away from foodstuffs.

##### · Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

##### · Storage class 13

##### · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

##### · 8.1 Control parameters

##### · Components with critical values that require monitoring at the workplace:

**65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
-----	---

**1317-65-3 Calciumcarbonat**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust; **respirable
-----	---

##### · Additional information: The lists that were valid during the compilation were used as basis.

##### · 8.2 Exposure controls

##### · Appropriate engineering controls No further data; see section 7.

##### · Individual protection measures, such as personal protective equipment

##### · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

(Contd. on page 4)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

Trade name **BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 3)

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Breathing protection recommended.

Filter P2.

· **Hand protection** Protective gloves.

· **Material of gloves**

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Physical state

Solid.

#### · Colour:

According to product specification

#### · Smell:

Characteristic

#### · Melting point/freezing point:

Not determined

#### · Boiling point or initial boiling point and boiling range

Not determined

#### · Flammability

Product is not inflammable.

#### · Flash point:

Not applicable

#### · Decomposition temperature:

Not determined.

#### · pH

Alkaline

#### · Viscosity:

#### · Kinematic viscosity

Not applicable.

#### · dynamic:

Not applicable.

#### · Solubility

#### · Water:

Partly miscible

#### · Steam pressure at 1732 °C:

13.5 hPa

#### · Density and/or relative density

#### · Density

Not determined

#### · Relative density

Not determined.

#### · Settled apparent density

1,100-1,400 kg/m<sup>3</sup>

### · 9.2 Other information

#### · Appearance:

#### · Form:

Solid.

#### · Important information on protection of health and environment, and on safety.

#### · Self-inflammability:

Product is not selfigniting.

#### · Explosive properties:

Product is not explosive.

#### · Solvent content:

#### · Solids content:

100.0 %

#### · Change in condition

#### · Evaporation rate

Not applicable.

#### · Information with regard to physical hazard classes

#### · Explosives

Void

(Contd. on page 5)

GB

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

**Trade name BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 4)

· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values that are relevant for classification:**
- |                                  |      |                    |
|----------------------------------|------|--------------------|
| <b>1317-65-3 Calciumcarbonat</b> |      |                    |
| Oral                             | LD50 | >5,000 mg/kg (rat) |
- **Skin corrosion/irritation**  
Causes skin irritation.
  - **Serious eye damage/irritation**  
Causes serious eye damage.
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure**  
May cause respiratory irritation.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.
  - **11.2 Information on other hazards**
  - **Endocrine disrupting properties**
- |                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

GB

(Contd. on page 6)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

Trade name **BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 5)

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

#### 1317-65-3 Calciumcarbonat

EC 50/48h &gt;1,000 mg/l (G)

EC 50 289 mg/l (Desmodesmus subspicatus)

LC50 &gt;10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Additional ecological information:

##### General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### Uncleaned packagings:

#### Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

### 14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

### 14.4 Packing group

ADR, IMDG, IATA Void

### 14.5 Environmental hazards:

Marine pollutant: No

(Contd. on page 7)

GB



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 9 (replaces version 8)

Revision: 24.05.2024

**Trade name BAU- UND FLIESENKLEBER BFK 05**

(Contd. of page 6)

- |   |                 |
|---|-----------------|
| <b>· 14.6 Special precautions for user</b>                            | Not applicable. |
| <b>· 14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>                                       | Void            |

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors**  
None of the ingredients is listed.
- **Regulated poisons**  
None of the ingredients is listed.
- **Reportable explosives precursors**  
None of the ingredients is listed.
- **Reportable poisons**  
None of the ingredients is listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**