Printing date 29.09.2021

Revision: 29.09.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- <sup>•</sup> 1.1 Product identifier
- · Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- <sup>.</sup> 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· Hazard statements

H317 May cause an allergic skin reaction.

- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.
- <sup>•</sup> 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)

GB

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

#### Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

(Contd. of page 1)

•	e consisting of the following components with harmless additives.	
Dangerous compor		<0 E0
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one	<0.59
CAS: 52-51-7 EINECS: 200-143-0	bronopol (INN) ↓ Eye Dam. 1, H318 ↓ Aquatic Acute 1, H400 (M=10) ↑ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.59
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.59

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information No special measures required.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

(Contd. on page 3)

GB

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

#### Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

(Contd. of page 2)

Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

• Storage class 12

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the compilation were used as basis.

- <sup>•</sup> 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection Protective gloves.
- Material of gloves
- Use gloves of stable material (e.g. Nitrile) if necessary tricoted to improve the wearability.
- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection Safety glasses recommended during refilling.
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties
---

- 9.1 Information on basic physical and chemical properties
- General Information

· Colour:

Blue

(Contd. on page 4)

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

#### Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

	(Contd. of page 3		
Smell:	Mild		
Boiling point or initial boiling point and			
boiling range	100 °C (7732-18-5 water, distilled, conductivity or		
5 5	of similar purity)		
Flash point:	Not applicable		
Self-inflammability:	Product is not selfigniting.		
Solubility	e e e e e e e e e e e e e e e e e e e		
Water:	Partly miscible		
Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity o		
	of similar purity)		
Density and/or relative density			
Density	Not determined		
9.2 Other information			
Appearance:			
Form:	Fluid		
Important information on protection of hea	alth		
and environment, and on safety.			
Explosive properties:	Product is not explosive		
	Product is not explosive.		
Information with regard to physical haza classes	ard		
Information with regard to physical haza classes Explosives	ard Void		
Information with regard to physical haza classes Explosives Flammable gases	ard Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols	ard Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	ard Void Void Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	ard Void Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	ard Void Void Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	ard Void Void Void Void Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	ard Void Void Void Void Void Void Void		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	ard Void Void Void Void Void Void Void Voi		
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	ard Void Void Void Void Void Void Void Voi		

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

#### SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 5)

- GB

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

#### Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

(Contd. of page 4)

#### · LD/LC50 values that are relevant for classification:

52-51-7 bronopol (INN)

Oral LD50 305 mg/kg (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed with household garbage.

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

### SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

GB

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

#### Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

		(Contd. of page s
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accord IMO instruments</li> </ul>	i <b>ng to</b> Not applicable.	
· UN "Model Regulation":	Void	

#### SECTION 15: Regulatory information

<sup>•</sup> 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

9002-93-1 Triton X-100

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.

H335 May cause respiratory irritation.

- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

(Contd. on page 7)

GB

Printing date 29.09.2021

Version number 4 (replaces version 3)

Revision: 29.09.2021

# Trade name BAUWERKSABDICHTUNG 2K BF KOMP.A

	d. of page 6)
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreemen the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	,
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
• * Data compared to the previous version altered.	
	GB —