Printing date 23.11.2021

Revision: 23.11.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Trade name BETONKOSMETIK REPOL BK 05
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Repair mortar
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

## SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

🖆 🛃 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- <sup>.</sup> Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves / eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

#### Trade name BETONKOSMETIK REPOL BK 05

	(Contd. of page 1)
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

<sup>•</sup> 2.3 Other hazards

#### Results of PBT and vPvB assessment

· PBT: Not applicable.


• **vPvB:** Not applicable.

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:



## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General information Instantly remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

#### • After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

(Contd. on page 3)

Printing date 23.11.2021

Version number 3 (replaces version 2)

(Contd. of page 2)

#### Trade name BETONKOSMETIK REPOL BK 05

#### • **6.3 Methods and material for containment and cleaning up:** Use neutralising agent. Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

• Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not necessary if room is well-ventilated.

- · Hand protection Protective gloves.
- · Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed safety glasses.

(Contd. on page 4)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

(Contd. of page 3)

## Trade name BETONKOSMETIK REPOL BK 05

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical pro	operties
• 9.1 Information on basic physical and che	mical properties
· General Information	
· Physical state	Solid.
· Colour:	Grey
· Smell:	Characteristic
Odour threshold:	Not determined.
• Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	Not determined
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	n.a. Vol %
· Upper:	n.a. Vol %
	Not applicable
· Flash point:	
Self-inflammability:	Product is not selfigniting.
Decomposition temperature:	Not determined.
· pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
<sup>·</sup> Solubility	
· Water:	Partly miscible
<ul> <li>Density and/or relative density</li> </ul>	
· Density	Not determined
• 9.2 Other information	
· Appearance:	
· Form:	Powder
· Important information on protection of hea	
and environment, and on safety.	
• Explosive properties:	Product is not explosive.
· Solvent content:	
· Solids content:	72.6 %
· Change in condition	72.0 /8
· Evaporation rate	Not applicable.
•	
Information with regard to physical haz	ard
classes	
Explosives	Void
· Flammable gases	Void
Aerosols	Void
<ul> <li>Oxidising gases</li> </ul>	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
	(Contd. on page 5)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

#### Trade name BETONKOSMETIK REPOL BK 05

		(Contd. of page 4)
· Organic peroxides	Void	
Corrosive to metals	Void	
<ul> <li>Desensitised explosives</li> </ul>	Void	

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: None

## SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

Dermal LD50 mg/kg (rat)

• Skin corrosion/irritation

Causes skin irritation.

<sup>·</sup> Serious eye damage/irritation

Causes serious eye damage.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

<sup>·</sup> 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 6)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

#### Trade name BETONKOSMETIK REPOL BK 05

(Contd. of page 5)

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

<sup>.</sup> Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accordir IMO instruments</li> </ul>	ng to Not applicable.	
· UN "Model Regulation":	Void	

## SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Contact: chemikalieninfo@murexin.com (+43 02622/27401)

(Contd. on page 7)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

## Trade name BETONKOSMETIK REPOL BK 05

Abbraviations and asymptotic	(Contd. of page 6)
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (	European Agreement Concerning
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the provinue version altered	
* Data compared to the previous version altered.	