Printing date 19.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

[•] 1.1 Product identifier

- Trade name BETONSPACHTEL BS 05 G
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Repair mortar
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

🖆 🛃 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- [.] Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- calcium dihydroxide
- Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust.
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

GB

Version number 14 (replaces version 13)

Revision: 19.08.2024

Trade name BETONSPACHTEL BS 05 G

	(Contd. of page 1)
P310	Immediately call a POISON CENTER/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· 2.3 Other haza	rds

· Results of PBT and vPvB assessment

· PBT: Not applicable.

Printing date 19.08.2024

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components with harmless additives.

 Dangerous compor 	nents:	
CAS: 65997-15-1 EINECS: 266-043-4		25-50%
	 Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 	
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat	5-10%
	substance with a Community workplace exposure limit	
CAS: 1305-62-0 EINECS: 215-137-3	calcium dihydroxide Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	1-2.5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

- After skin contact
- If skin irritation continues, consult a doctor.
- Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

[•] Suitable extinguishing agents

Use fire fighting measures that suit the environment.

- CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

(Contd. on page 3)

⁻ GB -

Printing date 19.08.2024

Version number 14 (replaces version 13)

Revision: 19.08.2024

Trade name BETONSPACHTEL BS 05 G

[•] 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store under dry conditions.
- · Storage class 13
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

- WEL Long-term value: 10* 4** mg/m³
- *inhalable dust **respirable dust

1317-65-3 Calciumcarbonat

WEL Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable

1305-62-0 calcium dihydroxide

- WEL Short-term value: 4* mg/m³
 - Long-term value: 5 1* mg/m³
 - *resprable fraction

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. of page 2)

Version number 14 (replaces version 13)

Printing date 19.08.2024

*

Revision: 19.08.2024

Individual protection measures, such as	(Contd. of page
General protective and hygienic measures	
The usual precautionary measures should b	
Keep away from foodstuffs, beverages and	
Instantly remove any soiled and impregnate	
Wash hands during breaks and at the end o	f the work.
Avoid contact with the eyes and skin.	
Breathing equipment:	
Breathing protection recommended.	
Filter P2.	
Hand protection Protective gloves.	
-	ble and resistant to the product/ the substance/ t
preparation.	
Material of gloves	
	ot only depend on the material, but also on further mar
of quality and varies from manufacturer to m	nanufacturer.
	if necessary tricoted to improve the wearability.
Penetration time of glove material	
	nd out by the manufacturer of the protective gloves a
has to be observed.	125505
 Eye/face protection Tightly sealed safety g Body protection: Protective work clothing. 	1103353.
SECTION 9: Physical and chemical p	
9.1 Information on basic physical and ch	
General Information	
General Information Physical state	emical properties
General Information Physical state Colour:	emical properties Solid.
General Information Physical state Colour: Smell:	emical properties Solid. Grey
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point:	emical properties Solid. Grey Characteristic
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	emical properties Solid. Grey Characteristic Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point:	<i>emical properties</i> Solid. Grey Characteristic Not determined. Not determined Not determined Not determined. >100 °C
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature:	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C	<i>emical properties</i> Solid. Grey Characteristic Not determined. Not determined Not determined Not determined. >100 °C
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity:	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic:	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water:	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value)	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C:	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined. 13.5 hPa (14808-60-7 Quartz (SiO2))
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density Density	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined.
Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value)	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined. 13.5 hPa (14808-60-7 Quartz (SiO2)) Not determined
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined. 13.5 hPa (14808-60-7 Quartz (SiO2)) Not determined. Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined. 13.5 hPa (14808-60-7 Quartz (SiO2)) Not determined. Not determined.
General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density	emical properties Solid. Grey Characteristic Not determined. Not determined Not determined. >100 °C Not determined. 11 Not applicable. Not applicable. Partly miscible Not determined. 13.5 hPa (14808-60-7 Quartz (SiO2)) Not determined. Not determined.

Printing date 19.08.2024

Version number 14 (replaces version 13)

Revision: 19.08.2024

Trade name BETONSPACHTEL BS 05 G

	(Contd.	of page
· Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
Solvent content:	·	
· Solids content:	100.0 %	
· Change in condition		
· Evaporation rate	Not applicable.	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
[·] Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7,340 mg/kg (rat)

· Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

• STOT-single exposure May cause respiratory irritation.

(Contd. on page 6)

GB

Printing date 19.08.2024

Version number 14 (replaces version 13)

Revision: 19.08.2024

(Contd. of page 5)

Trade name BETONSPACHTEL BS 05 G

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1317-65-3 Calciumcarbonat

EC 50/48h >1,000 mg/l (G)

- EC 50 289 mg/l (Desmodesmus subspicatus)
- LC50 >10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- [·] 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	

Printing date 19.08.2024

Version number 14 (replaces version 13)

Revision: 19.08.2024

Trade name BETONSPACHTEL BS 05 G

		(Contd. of page 6
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)

GB

Printing date 19.08.2024

Version number 14 (replaces version 13)

Revision: 19.08.2024

Trade name BETONSPACHTEL BS 05 G

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.

(Contd. of page 7)

2B -