
GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021



Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

| | (Contd. of page 1) |
|--------------------|---|
| P280 | Wear protective gloves / eye protection. |
| P305+P351+P338 | 3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P501 | Dispose of contents/container in accordance with local/regional/national/ |
| | international regulations. |
| · 2.3 Other hazard | S |
| · Results of PBT a | nd vPvB assessment |

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

| · Dangerous components: | | | |
|-------------------------|--|--------|--|
| | Cement portland, Low-chromate according to EU-VO 1907/2006 | 25-50% | |
| EINECS: 266-043-4 | | | |
| | Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 | | |
| | 🕦 Skin Irrit. 2, H315; STOT SE 3, H335 | | |
| CAS: 1305-62-0 | calcium dihydroxide | 1-2.5% | |
| EINECS: 215-137-3 | 🚯 Eye Dam. 1, H318 | | |
| | Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 | | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

• After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

• After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- [•] 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

GB

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions:

Keep container tightly sealed. Store under dry conditions.

· Storage class 13

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

1305-62-0 calcium dihydroxide

WEL Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³

*resprable fraction

• Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

(Contd. on page 4)

⁻ GB

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

| | (Contd. of page |
|--|--|
| Avoid contact with the skin. | (Conta: of page |
| Avoid contact with the eyes and skin. | |
| Breathing equipment: | |
| Breathing protection recommended. | |
| | use breathing filter apparatus. In case of intensive |
| longer exposure use breathing apparatus th | hat is independent of circulating air. |
| Filter P2. | |
| • Hand protection Protective gloves. | |
| · Material of gloves | |
| | if necessary tricoted to improve the wearability. |
| Penetration time of glove material | |
| | nd out by the manufacturer of the protective gloves ar |
| has to be observed. | |
| Eye/face protection | |
| Safety glasses | |
| Tightly sealed safety glasses. | |
| Body protection: Protective work clothing. | |
| | |
| SECTION 9: Physical and chemical p | properties |
| 9.1 Information on basic physical and ch | emical properties |
| General Information | 0 |
| · Colour: | Grey |
| Smell: | Odourless |
| Boiling point or initial boiling point and | |
| boiling range | Not determined |
| Lower and upper explosion limit | N <i>i i i i</i> |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable |
| Self-inflammability: | Product is not selfigniting. |
| • Decomposition temperature: | Not determined. |
| · pH | Not applicable. |
| Solubility | Deutly minsible |
| | Partly miscible |
| · Water: | |
| Partition coefficient n-octanol/water (log | |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Partition coefficient n-octanol/water (log value) Steam pressure: | |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density | Not determined. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density | Not determined. Not applicable. Not determined |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density | Not determined. Not applicable. Not determined Not determined. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density | Not determined. Not applicable. Not determined |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information | Not determined. Not applicable. Not determined Not determined. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: | Not determined. Not applicable. Not determined Not determined. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth Product is not explosive. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition Evaporation rate | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth Product is not explosive. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition Evaporation rate Information with regard to physical had | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth Product is not explosive. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition Evaporation rate Information with regard to physical had classes | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth Product is not explosive. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition Evaporation rate Information with regard to physical had classes Explosives | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder Product is not explosive. Not applicable. Determined. Not applicable. |
| Partition coefficient n-octanol/water (log value) Steam pressure: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of h and environment, and on safety. Explosive properties: Change in condition Evaporation rate Information with regard to physical had classes | Not determined. Not applicable. Not determined Not determined. Not applicable. Powder ealth Product is not explosive. Not applicable. |

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

| | | (Contd. of page 4 |
|---------------------------------------|------|-------------------|
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

Dermal LD50 mg/kg (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7,340 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

GB

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

[•] 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Hand over to disposers of hazardous waste.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

| Void | | |
|---|--|--|
| Void | | |
| | | |
| Void | | |
| Void | | |
| | | |
| No | | |
| Not applicable. | | |
| • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. | | |
| Not applicable. Void | | |
| | | |

(Contd. on page 7)

Printing date 22.09.2021

Version number 6 (replaces version 5)

Revision: 22.09.2021

Trade name BETONSPACHTEL REPOL BS 10 W

(Contd. of page 6)

GB

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

** Data compared to the previous version altered.