Printing date 23.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

[•] 1.1 Product identifier

- Trade name BIOWEISS SK 500 INNENSILIKATFARBE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

[.] 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- [•] 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Safety data sheet available on request.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:		
CAS: 12001-26-2	Mica	5-10%
	substance with a Community workplace exposure limit	
CAS: 13463-67-7	titanium dioxide	2.5-5%
EINECS: 236-675-5	🚸 Carc. 2, H351	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information No special measures required.

- After inhalation Seek medical treatment in case of complaints.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.

(Contd. on page 2)

GB

Printing date 23.09.2021

Version number 6 (replaces version 5)

Revision: 23.09.2021

Trade name BIOWEISS SK 500 INNENSILIKATFARBE

(Contd. of page 1)

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

Fire-extinguishing powder

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture
- Carbon monoxide (CO)
- Nitrogen oxides (NOx)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

- Dilute with much water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

• Storage class 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

12001-26-2 Mica

WEL Long-term value: 10* 0.8** mg/m³

*total inhalable **respirable

(Contd. on page 3)

GB

Printing date 23.09.2021

Version number 6 (replaces version 5)

Revision: 23.09.2021

Trade name BIOWEISS SK 500 INNENSILIKATFARBE

Additional information: The lists that were v	alid during the compilation were used as basis.
	C ,
8.2 Exposure controls	
Appropriate engineering controls No furthe	
Individual protection measures, such as pe	
General protective and hygienic measures	
The usual precautionary measures should be	
Keep away from foodstuffs, beverages and for	
Instantly remove any soiled and impregnated	
Wash hands during breaks and at the end of t	
Breathing equipment: Not necessary if room	n is well-ventilated.
Hand protection Protective gloves. Material of gloves	
Use gloves of stable material (e.g. Nitrile) - if r	pecessary tricoted to improve the wearability
Penetration time of glove material	recessary incoled to improve the wearability.
	l out by the manufacturer of the protective gloves an
has to be observed.	
Eye/face protection Safety glasses recomme	ended during refilling
Body protection: Protective work clothing.	shaba aannig ronning.
, p	
SECTION 9: Physical and chemical pro	operties
9.1 Information on basic physical and cher	nical properties
General Information	
Colour:	White
Smell:	Characteristic
Melting point/freezing point:	Not determined
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
pH at 20 °C	10
Viscosity:	
Viscosity: dynamic at 20 °C:	10 10000 mPas
Viscosity: dynamic at 20 °C: Solubility	10000 mPas
Viscosity: dynamic at 20 °C: Solubility Water:	10000 mPas Dispersible
Viscosity: dynamic at 20 °C: Solubility	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C:	10000 mPas Dispersible
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity)
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity)
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance:	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm³
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form:	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety.	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature:	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid n.a. °C
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties:	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive.
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haze	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity o of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive.
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid Fluid n.a. °C Product is not explosive. ard Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void Void Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases Aerosols	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void Void Void Void Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of heat and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void Void Void Void Void Void Void Void Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of heat and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases Gases under pressure Flammable liquids	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void
Viscosity: dynamic at 20 °C: Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of heat and environment, and on safety. Ignition temperature: Explosive properties: Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	10000 mPas Dispersible 23 hPa (7732-18-5 water, distilled, conductivity of of similar purity) 1.6 g/cm ³ Fluid n.a. °C Product is not explosive. ard Void

Printing date 23.09.2021

Version number 6 (replaces version 5)

Revision: 23.09.2021

Trade name BIOWEISS SK 500 INNENSILIKATFARBE

		(Contd. of page 3)
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- [.] 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 5)

GB

Printing date 23.09.2021

Version number 6 (replaces version 5)

Revision: 23.09.2021

Trade name BIOWEISS SK 500 INNENSILIKATFARBE

(Contd. of page 4)

12.7 Other adverse effects

Additional ecological information:

· General notes:

Water danger class (Germany) 3 (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• *Recommendation* Smaller quantities can be disposed with household garbage.

- · Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
Class	Volu	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
	Void	
 14.5 Environmental hazards: 		
· Marine pollutant:	No	
•		
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 6)

Printing date 23.09.2021

Version number 6 (replaces version 5)

Revision: 23.09.2021

Trade name BIOWEISS SK 500 INNENSILIKATFARBE

(Contd. of page 5)

	is based on our present knowledge. However, this shall not constitute a guarantee roduct features and shall not establish a legally valid contractual relationship.
Relevant phrase H351 Suspected	es of causing cancer.
Contact: chemik	alieninfo@murexin.com (+43 02622/27401)
Abbreviations a	
	ernational concernant le transport des marchandises dangereuses par chemin de fer (Regulations national Transport of Dangerous Goods by Rail)
	us Goods Regulations by the "International Air Transport Association" (IATA)
	<i>Sivil Aviation Organisation</i>
	nstructions by the "International Civil Aviation Organisation" (ICAO)
	au transport international des marchandises dangereuses par route (European Agreement Concerning riage of Dangerous Goods by Road)
	Aaritime Code for Dangerous Goods
	ir Transport Association
	pnised System of Classification and Labelling of Chemicals
	nventory of Existing Commercial Chemical Substances ist of Notified Chemical Substances
	acts Service (division of the American Chemical Society)
	accumulative and Toxic
•	t and very Bioaccumulative
Carc. 2: Carcinogenio	nty – Category 2