

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** *DesignCoat EP 2 Komp. A*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *Coating*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MUREXIN GmbH  
Franz v. Furtenbachstr. 1  
A-2700 Wiener Neustadt  
Tel.: +43 (0)2622/27401
- **Informing department:** *chemikalieninfo@murexin.com*
- **1.4 Emergency telephone number:**  
UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Repr. 1B                      H360F May damage fertility.



GHS09 environment

Aquatic Chronic 2 H411    Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2                      H315 Causes skin irritation.  
 Eye Irrit. 2                      H319 Causes serious eye irritation.  
 Skin Sens. 1                      H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07 GHS08 GHS09

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*Bisphenol A epoxy resin  
oxirane, mono[(C12-14-alkyloxy)methyl] derivs  
1,4-bis(2,3-epoxypropoxy)butane  
1,6-bis(2,3-epoxypropoxy)hexane  
Bisphenol-F-epichlorohydrin resin*
- **Hazard statements**  
*H315 Causes skin irritation.  
H319 Causes serious eye irritation.*

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

**Trade name DesignCoat EP 2 Komp. A**

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Contains epoxy constituents. May produce an allergic reaction.

Restricted to professional users.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**

- **PBT:** Not applicable





- **vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

- **Description:** Mixture consisting of the following components with harmless additives.

**Dangerous components:**

CAS: 1675-54-3 EINECS: 216-823-5	Bisphenol A epoxy resin  Aquatic Chronic 2, H411  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	25-50%
CAS: 1317-65-3 EINECS: 215-279-6	Calcium carbonate  substance with a Community workplace exposure limit	10-25%
CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural  substance with a Community workplace exposure limit	10-25%
CAS: 68609-97-2 EINECS: 271-846-8 Reg.nr.: 01-2119485289-22-XXXX	oxirane, mono[(C12-14-alkyloxy)methyl] derivs  Repr. 1B, H360F  Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-5%

(Contd. on page 3)

GB

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

### Trade name DesignCoat EP 2 Komp. A

		(Contd. of page 2)
CAS: 100-51-6 EINECS: 202-859-9 Reg.nr.: 01-2119492630-38-xxxxx	benzyl alcohol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319; Skin Sens. 1B, H317 ATE: LD50 oral: 1,200 mg/kg	2.5-5%
CAS: 2425-79-8 EINECS: 219-371-7 Reg.nr.: 01-2119494060-45-0005	1,4-bis(2,3-epoxypropoxy)butane ⚠ Repr. 1A, H360F ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317	1-2.5%
CAS: 64742-47-8 EC number: 920-107-4 Reg.nr.: 01-2119453414-43	Distillates (petroleum), hydrotreated light ⚠ Asp. Tox. 1, H304 EUH066	1-2.5%
CAS: 933999-84-9 Reg.nr.: 01-2119463471-41	1,6-bis(2,3-epoxypropoxy)hexane ⚠ Repr. 1A, H360F ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥0.1-<0.3%
CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-2119454392-40-0001	Bisphenol-F-epichlorohydrin resin ⚠ Aquatic Chronic 2, H411 ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317 EUH205	≥0.1-<0.25%

#### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation**  
Supply fresh air; consult doctor in case of symptoms.  
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
Use fire fighting measures that suit the environment.  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

Trade name DesignCoat EP 2 Komp. A

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or water bodies.  
Inform respective authorities in case product reaches water or sewage system.  
Do not allow to enter the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class 6.1 C**
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

- **Components with critical values that require monitoring at the workplace:**

#### 1317-65-3 Calcium carbonate

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust; **respirable
-----	---

#### 7727-43-7 barium sulphate, natural

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
-----	---

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Keep away from foodstuffs, beverages and food.

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

**Trade name DesignCoat EP 2 Komp. A**

(Contd. of page 4)

*Instantly remove any soiled and impregnated garments.*

*Wash hands during breaks and at the end of the work.*

*Avoid contact with the skin.*

· **Breathing equipment:**

*In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.*

*Filter A/P2.*

· **Hand protection**

*Protective gloves.*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.*

*Butyl rubber, BR*

*Nitrile rubber, NBR*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye/face protection** Safety glasses

· **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Different according to colour

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

>200 °C (1675-54-3 Bisphenol A epoxy resin)

· **Flammability**

Not applicable

· **Lower and upper explosion limit**

· **Lower:**

Not determined

· **Upper:**

Not determined

· **Flash point:**

141 °C

· **Decomposition temperature:**

Not determined

· **pH**

Not determined

Mixture is non-soluble (in water).

· **Viscosity:**

· **Kinematic viscosity**

Not determined

· **dynamic at 20 °C:**

7,000-11,000 mPas

· **Solubility**

· **Water:**

Insoluble

· **Steam pressure at 23 °C:**

>0 hPa

· **Density and/or relative density**

· **Density at 20 °C**

1.7-1.8 g/cm<sup>3</sup>

· **Vapour density**

Not determined

· **9.2 Other information**

· **Appearance:**

· **Form:**

Pasty

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

Trade name DesignCoat EP 2 Komp. A

(Contd. of page 5)

· **Important information on protection of health and environment, and on safety.**

- |                                |                              |
|--------------------------------|------------------------------|
| · <b>Self-inflammability:</b>  | Product is not selfigniting. |
| · <b>Explosive properties:</b> | Product is not explosive.    |
| · <b>Change in condition</b>   |                              |
| · <b>Evaporation rate</b>      | Not determined               |

· **Information with regard to physical hazard classes**

- |  |      |
|--|------|
| · <b>Explosives</b>  | Void |
| · <b>Flammable gases</b>   | Void |
| · <b>Aerosols</b>  | Void |
| · <b>Oxidising gases</b>   | Void |
| · <b>Gases under pressure</b>  | Void |
| · <b>Flammable liquids</b>   | Void |
| · <b>Flammable solids</b>  | Void |
| · <b>Self-reactive substances and mixtures</b>                                     | Void |
| · <b>Pyrophoric liquids</b>  | Void |
| · <b>Pyrophoric solids</b>   | Void |
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |
| · <b>Desensitised explosives</b>   | Void |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**1675-54-3 Bisphenol A epoxy resin**

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**1317-65-3 Calcium carbonate**

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

**100-51-6 benzyl alcohol**

Oral	LD50	1,200 mg/kg (ATE)
		1,230 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

Trade name DesignCoat EP 2 Komp. A

(Contd. of page 6)

**2425-79-8 1,4-bis(2,3-epoxypropoxy)butane**

Oral LD50 2,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rat)

**9003-36-5 Bisphenol-F-epichlorohydrin resin**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**  
May damage fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) -**
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

	Decamethylcyclopentasiloxan	List II
556-67-2	octamethylcyclotetrasiloxane	List II
540-97-6	Dodecamethylcyclohexasiloxan	List II

### SECTION 12: Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:****1317-65-3 Calcium carbonate**

EC 50/48h &gt;1,000 mg/l (G)

EC 50 289 mg/l (*Desmodesmus subspicatus*)LC50 >10,000 mg/l (*Oncorhynchus mykiss* (*Regenbogenforelle*))**9003-36-5 Bisphenol-F-epichlorohydrin resin**EC 50 1.8 mg/l (*Desmodesmus subspicatus*)

1.6 mg/l (G)

IC 50 &gt;100 mg/l (bacteria)

LC50 0.55 mg/l (*Lepomis macrochirus* (*Fisch*))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**  
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish

(Contd. on page 8)

GB

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

Trade name DesignCoat EP 2 Komp. A



(Contd. of page 7)

- **Additional ecological information:**
- **General notes:**  
*Harmful to aquatic organisms*  
*Water hazard class (Germany) 2 (Self-assessment): hazardous for water.*  
*Do not allow product to reach ground water, water bodies or sewage system.*  
*Danger to drinking water if even small quantities leak into soil.*

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

### SECTION 14: Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | UN3082  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>   | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin)<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin, Bisphenol-F-epichlorohydrin resin), MARINE POLLUTANT<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin) |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>                                  | <div style="display: flex; align-items: center; gap: 10px;">   </div> 9 Miscellaneous dangerous substances and articles.<br>9       |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | III   |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> <li>· <b>Special marking (IATA):</b></li> </ul> | Product contains environmentally hazardous substances: Bisphenol A epoxy resin<br>No<br>Symbol (fish and tree)<br>Symbol (fish and tree)<br>Symbol (fish and tree)  |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Kemler Number:</b></li> <li>· <b>EMS Number:</b></li> </ul>   | Warning: Miscellaneous dangerous substances and articles.<br>90<br>F-A,S-F  |

(Contd. on page 9)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

Trade name DesignCoat EP 2 Komp. A

(Contd. of page 8)

· <b>Stowage Category</b>	A
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN), 9, III

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· <b>Regulated explosives precursors</b>
--

None of the ingredients is listed.
------------------------------------

· <b>Regulated poisons</b>
----------------------------

None of the ingredients is listed.
------------------------------------

· <b>Reportable explosives precursors</b>
---

None of the ingredients is listed.
------------------------------------

· <b>Reportable poisons</b>
-----------------------------

None of the ingredients is listed.
------------------------------------

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category E2** Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

(Contd. on page 10)

## Safety data sheet according to UK REACH

Printing date 22.06.2026

Version number 10

Revision: 22.06.2026

### Trade name DesignCoat EP 2 Komp. A

(Contd. of page 9)

· **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*ATE: Acute toxicity estimate values*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1B: Skin sensitisation – Category 1B*

*Repr. 1A: Reproductive toxicity – Category 1A*

*Repr. 1B: Reproductive toxicity – Category 1B*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

· **\* Data compared to the previous version altered.**

GB