Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name DURLIN ROSTSTOPP FERABRIN FE 100
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MUREXIN GmbH

Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

- · Informing department: chemikalieninfo@murexin.com
- · 1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

(Contd. on page 2)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains 2-butanone oxime, phthalic anhydride, cobalt(II) 2-ethylhexanoate. May produce an allergic reaction.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture consisting of the following components with harmless additives.

| Dangerous components:   |   |        |
|---|---|--------|
| CAS: 64742-48-9<br>EINECS: 265-150-3<br>Reg.nr.: 01-2119457273-39 | Naphtha (petroleum), hydrotreated heavy  Flam. Liq. 3, H226  Asp. Tox. 1, H304  | 25-50% |
| CAS: 7779-90-0<br>EINECS: 231-944-3                               | trizinc bis(orthophosphate)  Aquatic Acute 1, H400; Aquatic Chronic 1, H410   | 1-2.5% |
| CAS: 96-29-7<br>EINECS: 202-496-6                                 | 2-butanone oxime Acute Tox. 3, H301 Carc. 1B, H350; STOT SE 1, H370; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H336 ATE: LD50 oral: 100 mg/kg LD50 dermal: 1,100 mg/kg | 0.5-1% |
| CAS: 85-44-9<br>EINECS: 201-607-5                                 | phthalic anhydride  Resp. Sens. 1, H334  Eye Dam. 1, H318  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335   | <0.5%  |
| CAS: 136-52-7<br>EINECS: 205-250-6<br>Reg.nr.: 01-2119524678-29   | cobalt(II) 2-ethylhexanoate  • Acute Tox. 4, H302; Skin Sens. 1, H317   | <0.5%  |

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

(Contd. on page 3)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

(Contd. of page 2)

• **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Prevent material from reaching sewage system, holes and cellars.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

(Contd. on page 4)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

(Contd. of page 3)

· Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

- Storage class 3
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

## 136-52-7 cobalt(II) 2-ethylhexanoate

WEL Long-term value: 0.1 mg/m<sup>3</sup>

as Co; Carc, Sen

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- · Hand protection Protective gloves.
- Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

- Penetration time of glove material
- > 480min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- Body protection: Protective work clothing.

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: According to product specification

Smell: Type specific
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

Lower and upper explosion limit

 · Lower:
 0.6 Vol %

 · Upper:
 7 Vol %

 · Flash point:
 0 °C

· Self-inflammability: Product is not selfigniting.

Decomposition temperature: Not determined.pH Not determined.

Solubility

• Water: Not miscible or difficult to mix

· Steam pressure at 20 °C: 1 hPa

(Contd. on page 5)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

|   | (Contd. of page  |
|---|--|
| Density and/or relative density   |  |
| Density at 20 °C  | 1.3 g/cm³  |
| 9.2 Other information   |  |
| Appearance:   |  |
| Form:   | Fluid  |
| Important information on protection of he and environment, and on safety. | ealth  |
| Ignition temperature:   | 200 °C   |
| Explosive properties:   | Product is not explosive. However, formation explosive air/steam mixtures is possible. |
| Information with regard to physical haz                                   | zard   |
| classes   |  |
| Explosives  | Void   |
| Flammable gases   | Void   |
| Aerosols  | Void   |
| Oxidising gases   | Void   |
| Gases under pressure  | Void   |
| Flammable liquids   |  |
| Highly flammable liquid and vapour.                                       |  |
| Flammable solids  | Void   |
| Self-reactive substances and mixtures                                     | Void   |
| Pyrophoric liquids  | Void   |
| Pyrophoric solids   | Void   |
| Self-heating substances and mixtures                                      | Void   |
| Substances and mixtures, which emit                                       |  |
| flammable gases in contact with water                                     | Void   |
| Oxidising liquids   | Void   |
| Oxidising solids  | Void   |
| Organic peroxides   | Void   |
| Corrosive to metals   | Void   |

Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

- · Conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| 2.00.00  |                          | ,                     |  |  |
|--|--------------------------|-----------------------|--|--|
| · LD/LC50 values that are relevant for classification: |                          |                       |  |  |
| 64742-48-9 Naphtha (petroleum), hydrotreated heavy     |                          |                       |  |  |
| Oral   | LD50                     | >2,000 mg/kg (rat)    |  |  |
| Dermal   | LD50                     | >2,000 mg/kg (rabbit) |  |  |
| 96-29-7  | 96-29-7 2-butanone oxime |                       |  |  |
| Oral   | LD50                     | 100 mg/kg (ATE)       |  |  |
|  |                          |                       |  |  |

(Contd. on page 6)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

(Contd. of page 5)

### Dermal LD50 1,100 mg/kg (ATE)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

### 64742-48-9 Naphtha (petroleum), hydrotreated heavy

IC 50 >100 mg/l (Pseudokirchneriella subcapitata (Alge))

LC50 >100 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Harmful to aquatic organisms

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG

Void

(Contd. on page 7)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

|   | (Con                      | td. of pag |
|---|---------------------------|------------|
| IATA                                      | UN1263                    |            |
| 14.2 UN proper shipping name              |                           |            |
| · ADR, ADN, IMDG                          | Void                      |            |
| IATÁ                                      | PAINT                     |            |
| 14.3 Transport hazard class(es)           |                           |            |
| ADR, ADN, IMDG                            |                           |            |
| Class                                     | Void                      |            |
| · IATA                                    |                           |            |
| · Class<br>· Label                        | 3 Flammable liquids.<br>3 |            |
| 14.4 Packing group                        |                           |            |
| · ADR, IMDG                               | Void                      |            |
| IATA                                      | III                       |            |
| · 14.5 Environmental hazards:             |                           |            |
| · Marine pollutant:                       | No                        |            |
| 14.6 Special precautions for user         | Not applicable.           |            |
| · 14.7 Maritime transport in bulk accordi |                           |            |
| IMO instruments                           | Not applicable.           |            |
| UN "Model Regulation":                    | Void                      |            |

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

(Contd. on page 8)

Printing date 23.09.2021 Version number 4 Revision: 23.09.2021

#### Trade name DURLIN ROSTSTOPP FERABRIN FE 100

(Contd. of page 7)

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 1B: Carcinogenicity – Category 1B STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.