

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** *DURLIN WEISSLACK SEIDENMATT SE 50*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *Lacquer*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*MUREXIN GmbH*  
*Franz v. Furtenbachstr. 1*  
*A-2700 Wiener Neustadt*  
*Tel.: +43 (0)2622/27401*
- **Informing department:** *chemikalieninfo@murexin.com*
- **1.4 Emergency telephone number:**  
*UK National poisons Emergency number.: +44 (0) 870 600 6266*

#### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



flame

*Flam. Liq. 3 H226 Flammable liquid and vapour.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the CLP regulation.*
- **Hazard pictograms**



GHS02

- **Signal word** *Warning*
- **Hazard statements**  
*H226 Flammable liquid and vapour.*
- **Precautionary statements**

<i>P101</i>	<i>If medical advice is needed, have product container or label at hand.</i>
<i>P102</i>	<i>Keep out of reach of children.</i>
<i>P103</i>	<i>Read carefully and follow all instructions.</i>
<i>P210</i>	<i>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</i>
<i>P241</i>	<i>Use explosion-proof [electrical/ventilating/lighting] equipment.</i>
<i>P243</i>	<i>Take action to prevent static discharges.</i>
<i>P280</i>	<i>Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</i>
<i>P303+P361+P353</i>	<i>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</i>
<i>P501</i>	<i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i>
- **Additional information:**  
*Contains 2-butanone oxime, Fatty acids, C6-19-branched, cobalt(2+) salts. May produce an allergic reaction.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name **DURLIN WEISSLACK SEIDENMATT SE 50**

(Contd. of page 1)

· **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

· **Description**: Mixture consisting of the following components with harmless additives.

#### · Dangerous components:

CAS: 64742-48-9 EINECS: 265-150-3 Reg.nr.: 01-2119457273-39	Naphtha (petroleum), hydrotreated heavy ----- ☠ Flam. Liq. 3, H226 ☠ Asp. Tox. 1, H304	10-25%
CAS: 96-29-7 EINECS: 202-496-6	2-butanone oxime ----- ☠ Acute Tox. 3, H301 ☠ Carc. 1B, H350; STOT SE 1, H370; STOT RE 2, H373 ☠ Eye Dam. 1, H318 ☠ Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H336 ATE: LD50 oral: 100 mg/kg LD50 dermal: 1,100 mg/kg	<0.5%
CAS: 68409-81-4 EINECS: 270-066-5	Fatty acids, C6-19-branched, cobalt(2+) salts ----- ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** In case of persistent symptoms consult doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· **Danger** Danger of pulmonary oedema.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### · Suitable extinguishing agents

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

· **Protective equipment**: Wear self-contained breathing apparatus.

#### · Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Cool endangered containers with water spray jet.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name **DURLIN WEISSLACK SEIDENMATT SE 50**

(Contd. of page 2)

*Ensure adequate ventilation**Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***· 6.2 Environmental precautions:***Do not allow product to reach sewage system or water bodies.**Prevent material from reaching sewage system, holes and cellars.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Dispose of contaminated material as waste according to item 13.**Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling**See Section 8 for information on personal protection equipment.**See Section 13 for information on disposal.***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling** *Keep containers tightly sealed.***· Information about protection against explosions and fires:***Fumes can combine with air to form an explosive mixture.**Keep ignition sources away - Do not smoke.**Protect against electrostatic charges.***· 7.2 Conditions for safe storage, including any incompatibilities****· Storage****· Requirements to be met by storerooms and containers:** *Store only in the original container.***· Information about storage in one common storage facility:***Store away from oxidising agents.**Store away from foodstuffs.***· Further information about storage conditions:** *Keep container tightly sealed.***· Storage class 3****· 7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****· 8.1 Control parameters****· Components with critical values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***· Additional information:** *The lists that were valid during the compilation were used as basis.***· 8.2 Exposure controls****· Appropriate engineering controls** *No further data; see item 7.***· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures***Do not eat or drink while working.**The usual precautionary measures should be adhered to in handling the chemicals.**Keep away from foodstuffs, beverages and food.**Instantly remove any soiled and impregnated garments.**Wash hands during breaks and at the end of the work.***· Breathing equipment:** *Not required.***· Hand protection** *Protective gloves.***· Material of gloves***Nitrile rubber, NBR**Butyl rubber, BR*

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name DURLIN WEISSLACK SEIDENMATT SE 50

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Safety glasses recommended during refilling.
- **Body protection:** Protective work clothing.

#### SECTION 9: Physical and chemical properties

##### · 9.1 Information on basic physical and chemical properties

###### · General Information

- |  |                              |
|--|------------------------------|
| · <b>Colour:</b>                         | White                        |
| · <b>Smell:</b>                          | Type specific                |
| · <b>Melting point/freezing point:</b>   | n.b. °C                      |
| · <b>Lower and upper explosion limit</b> |                              |
| · <b>Lower:</b>                          | 0.6 Vol %                    |
| · <b>Upper:</b>                          | 7.0 Vol %                    |
| · <b>Flash point:</b>                    | 36 °C                        |
| · <b>Self-inflammability:</b>            | Product is not selfigniting. |
| · <b>Solubility</b>                      |                              |
| · <b>Water:</b>                          | immiscible                   |
| · <b>Steam pressure at 20 °C:</b>        | 1 hPa                        |
| · <b>Density and/or relative density</b> |                              |
| · <b>Density at 20 °C</b>                | 1.4 g/cm <sup>3</sup>        |

##### · 9.2 Other information

- |  |   |
|--|---|
| · <b>Appearance:</b>   |   |
| · <b>Form:</b>   | Fluid   |
| · <b>Important information on protection of health and environment, and on safety.</b> |   |
| · <b>Ignition temperature:</b>   | 200 °C  |
| · <b>Explosive properties:</b>   | Product is not explosive. However, formation of explosive air/steam mixtures is possible. |
| · <b>Solvent separation test</b>   | <3 %  |

##### · Information with regard to physical hazard classes

- |  |      |
|--|------|
| · <b>Explosives</b>  | Void |
| · <b>Flammable gases</b>   | Void |
| · <b>Aerosols</b>  | Void |
| · <b>Oxidising gases</b>   | Void |
| · <b>Gases under pressure</b>  | Void |
| · <b>Flammable liquids</b><br>Flammable liquid and vapour.                         |      |
| · <b>Flammable solids</b>  | Void |
| · <b>Self-reactive substances and mixtures</b>                                     | Void |
| · <b>Pyrophoric liquids</b>  | Void |
| · <b>Pyrophoric solids</b>   | Void |
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> |      |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name **DURLIN WEISSLACK SEIDENMATT SE 50**

(Contd. of page 4)

· **Desensitised explosives**

Void

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NOx)

#### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

##### 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

##### 96-29-7 2-butanone oxime

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) -**
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

#### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

##### 64742-48-9 Naphtha (petroleum), hydrotreated heavy

IC 50	>100 mg/l (Pseudokirchneriella subcapitata (Alge))
LC50	>100 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name DURLIN WEISSLACK SEIDENMATT SE 50

(Contd. of page 5)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, ADN</b></li> <li>· <b>IMDG, IATA</b></li> </ul>  | <p>Void<br/>UN1263</p>                    |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR, ADN</b></li> <li>· <b>IMDG, IATA</b></li> </ul>   | <p>Void<br/>PAINT</p>                     |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, ADN</b></li> <li>· <b>Class</b></li> </ul>   | <p>Void</p>                               |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   |   |
| <div style="text-align: center;">  </div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul> | <p>3 Flammable liquids.<br/>3</p>         |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul>  | <p>Void<br/>III</p>                       |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>  | <p>No</p>                                 |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>   | <p>Not applicable.<br/>F-E, S-E<br/>A</p> |
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>   | <p>Not applicable.</p>                    |

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.09.2021

Version number 5 (replaces version 4)

Revision: 23.09.2021

Trade name **DURLIN WEISSLACK SEIDENMATT SE 50**

(Contd. of page 6)

· **UN "Model Regulation":** Void

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c** FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**  
 H226 Flammable liquid and vapour.  
 H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H312 Harmful in contact with skin.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H336 May cause drowsiness or dizziness.  
 H350 May cause cancer.  
 H370 Causes damage to organs.  
 H373 May cause damage to organs through prolonged or repeated exposure.
- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)
- **Abbreviations and acronyms:**  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Acute Tox. 3: Acute toxicity – Category 3  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Carc. 1B: Carcinogenicity – Category 1B  
 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1  
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
 Asp. Tox. 1: Aspiration hazard – Category 1

- **\* Data compared to the previous version altered.**