Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

· 1.1 Product ident	ifier
· Trade name <u>ENE</u>	RGY CONTACT
	613952/2 htified uses of the substance or mixture and uses advised against t information available.
· Application of the	e substance / the mixture Adhesives
• 1.3 Details of the • Manufacturer/Sup MUREXIN GmbH Franz v. Furtenbac A-2700 Wiener Ne Tel.: +43 (0)2622/2	chstr. 1 eustadt
· Informing depart	ment: chemikalieninfo@murexin.com
• 1.4 Emergency te	e lephone number: ns Emergency number.: +44 (0) 870 600 6266
	ing to Regulation (EC) No 1272/2008 Void
Hazard pictogram Signal word Void Hazard statemen Additional inform	ns Void ts Void nation:
Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet	ns Void ts Void hation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methy pe [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-o zisothiazol-3(2H)-one. May produce an allergic reaction. available on request.
Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT an	ns Void ts Void nation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methy ne [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-o zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment
 Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT and PBT: Not applicable 	ns Void ts Void nation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-meth ne [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-d zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment ble.
 Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT and 	ns Void ts Void nation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methj ne [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-d zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment ble.
 Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT and PBT: Not applicab vPvB: Not applicad 	ns Void ts Void nation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl ne [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-o zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment ble.
 Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT an PBT: Not applicab vPvB: Not applica 	ns Void ts Void mation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-meth ne [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)- zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment hle. ble.
 Hazard pictogram Signal word Void Hazard statemen Additional inform Contains reaction 2H-isothiazol-3-on hydroxy-, 1,2-benz Safety data sheet 2.3 Other hazards Results of PBT and PBT: Not applicab vPvB: Not applicad SECTION 3: Construction 3.2 Mixtures	ns Void ts Void nation: mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyle [EC no. 220-239-6] (3:1), poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-or- zisothiazol-3(2H)-one. May produce an allergic reaction. available on request. s nd vPvB assessment ble. ble. ble. ure consisting of the following components.

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

Trade name ENERGY CONTACT

		. of page
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.5%
EINECS: 220-120-9	😔 Eye Dam. 1, H318	
	Aquatic Acute 1, H400	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C \geq 0.05 %	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0.5%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)	
	🕥 Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C \geq 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water.

· After swallowing In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- [•] 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

Trade name ENERGY CONTACT

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from frost.
- · Storage class 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures
- Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection Protective gloves.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses recommended during refilling.
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

Lower and upper explosion limit Lower:	Not determined. Not determined.	
	Not determined.	
Lower and upper explosion limit	of similar purity)	
Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 water, distilled, conductivity o	
Smell: Bailing point or initial bailing point and	Characteristic	
9.1 Information on basic physical and cher General Information Colour:	Whitish	

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

Trade name ENERGY CONTACT

		(Contd. of page
Viscosity:		
dynamic at 20 °C:	38000 mPas	
Solubility		
Water:	immiscible	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Steam pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C	1.8 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Pasty	
Important information on protection of hea		
and environment, and on safety.		
Explosive properties:	Product is not explosive.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical haza classes		
Fynlosivos	Void	
Explosives Elammable gases	Void Void	
Flammable gases	Void	
Flammable gases Aerosols	Void Void	
Flammable gases Aerosols Oxidising gases	Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void	
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

Trade name ENERGY CONTACT

(Contd. of page 4)

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

9064-13-5 poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-ω-hydroxy-

Oral LD50 >5,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

9064-13-5 poly[oxy(methyl-1,2-ethanediyl)], α-(methylphenyl)-ω-hydroxy-

EC 50/48h >100 mg/l (Daphnia magna (Großer Wasserfloh))

EC 50 >100 mg/l (Desmodesmus subspicatus (Alge))

LC50 >10-100 mg/l (Leuciscus idus (Fisch))

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed with household garbage.

Waste disposal key number:

55905 nach ÖNORM S 2100

Leim- und Klebemittelabfälle, nicht ausgehärtet

Entsorgungshinweise:

Chemisch-physikalische Behandlung: nicht geeignet Biologische Behandlung: nicht geeignet

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

(Contd. of page 5)

Trade name ENERGY CONTACT

Thermische Behandlung: geeignet Deponierung: nicht geeignet

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information

Void
Void
Void
Void
No
Not applicable.
o Not applicable.
Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[.] Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2021

Version number 2

Revision: 24.09.2021

Trade name ENERGY CONTACT

	(Contd. of p
· Contact: chen	nikalieninfo@murexin.com (+43 02622/27401)
	and acronyms:
	if au transport international des marchandises dangereuses par route (European Agreement Conc
	arriage of Dangerous Goods by Road)
	al Maritime Code for Dangerous Goods
	I Air Transport Association
	rmonised System of Classification and Labelling of Chemicals
	n Inventory of Existing Commercial Chemical Substances
	n List of Notified Chemical Substances
	ostracts Service (division of the American Chemical Society)
	entration, 50 percent
LD50: Lethal dose	
	Bioaccumulative and Toxic
,	tent and very Bioaccumulative
	te toxicity – Category 3
	te toxicity – Category 4
Skin Corr. 1B: Ski	n corrosion/irritation – Category 1B
Skin Irrit. 2: Skin o	corrosion/irritation – Category 2
Eye Dam. 1: Serio	us eye damage/eye irritation – Category 1
Skin Sens. 1: Skir	sensitisation – Category 1
Skin Sens. 1A: Sk	in sensitisation – Category 1A
	lazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - long-term aquatic hazard – Category 1