Printing date 10.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### <sup>•</sup> 1.1 Product identifier

- · Trade name EXPRESS COAT EC 260 KOMP. A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Coating

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

# SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



#### · Signal word Warning

- · Hazard-determining components of labelling:
- tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Aspartic acid ester
- · Hazard statements
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

<sup>-</sup> GB

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

#### Trade name EXPRESS COAT EC 260 KOMP. A

(Contd. of page 1)

- <sup>•</sup> 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture consisting of the following components with harmless additives.
- · Dangerous components:

Bungerous components.		
CAS: 136210-30-5 ELINCS: 429-270-1	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL- aspartate	
Reg.nr.: 01-0000017556-64- 0000	Skin Sens. 1, H317 Aquatic Chronic 3, H412	
CAS: 152637-10-0	Aspartic acid ester	25-50%
	Skin Sens. 1, H317 Aquatic Chronic 3, H412	

# SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation
- Seek medical treatment in case of complaints.
- Supply fresh air and call for doctor for safety reasons.
- In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

(Contd. on page 3)

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

#### Trade name EXPRESS COAT EC 260 KOMP. A

(Contd. of page 2)

Dilute with much water.

<sup>•</sup> 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

# SECTION 7: Handling and storage

<sup>•</sup> 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

Information about storage in one common storage facility: Store away from foodstuffs.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10

· 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

• **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

#### <sup>•</sup> 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Breathing equipment:

Not necessary if room is well-ventilated. Use breathing protection in case of insufficient ventilation. Filter A/P2.

- Hand protection
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Butyl rubber, BR

# · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB ·

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

# Trade name EXPRESS COAT EC 260 KOMP. A

(Contd. of page 3)

• *Eye/face protection* Safety glasses recommended during refilling. • *Body protection:* Protective work clothing.

# SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemi	cal properties		
General Information			
· Physical state	Liquid		
· Colour:	Different according to colour		
· Smell:	Characteristic		
Odour threshold:	Not determined.		
<ul> <li>Melting point/freezing point:</li> </ul>	Not determined		
Boiling point or initial boiling point and			
boiling range	209 °C (152637-10-0 Aspartic acid ester)		
· Flammability	Not applicable.		
· Lower and upper explosion limit	,,		
· Lower:	Not determined.		
· Upper:	Not determined.		
· Flash point:	100 °C (136210-30-5 tetraethyl-N,N'-		
	(methylenedicyclohexane-4,1-diyl)bis-DL-		
	aspartate)		
<ul> <li>Auto-ignition temperature:</li> </ul>	350 °C (152637-10-0 Aspartic acid ester)		
Decomposition temperature:	Not determined.		
· pH	Mixture is non-soluble (in water).		
· Viscosity:			
· Kinematic viscosity	Not determined.		
	500-1,000 mPas		
dynamic at 20 °C:	500-1,000 MF as		
Solubility			
Water:	Not determined.		
<ul> <li>Partition coefficient n-octanol/water (log</li> </ul>			
value)	Not determined.		
<ul> <li>Steam pressure at 20 °C:</li> </ul>	2 hPa (152637-10-0 Aspartic acid ester)		
Density and/or relative density			
· Density at 20 °C	1.1 g/cm³		
Relative density	Not determined.		
· Vapour density	Not determined.		
vapour acrisity	Not determined.		
• 9.2 Other information			
· Appearance:			
Form:	Fluid		
· Important information on protection of healt			
and environment, and on safety.			
	Product is not solficiation		
· Self-inflammability:	Product is not selfigniting.		
Explosive properties:	Product is not explosive.		
Change in condition			
<ul> <li>Evaporation rate</li> </ul>	Not determined.		
· Information with regard to physical hazard	4		
classes			
	Void		
Explosives	Void		
Flammable gases	Void		
· Aerosols	Void		
<ul> <li>Oxidising gases</li> </ul>	Void		
<sup>.</sup> Gases under pressure	Void		
· Flammable liquids	Void		
· Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
Jen-reactive substances and mixtures			
	(Contd. on page 5)		

GB

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

#### Trade name EXPRESS COAT EC 260 KOMP. A

		(Contd. of page 4)
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

## 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

*ErC50* 113 mg/l (Desmodesmus subspicatus)

EC 50/48h 88.6 mg/l (G)

LC50 66 mg/l (Lepomis macrochirus (Fisch))

· 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

<sup>·</sup> GB

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

#### Trade name EXPRESS COAT EC 260 KOMP. A

(Contd. of page 5)

- 12.7 Other adverse effects
- Remark: Harmful to fish
   Additional ecological information:
- · General notes:
- Harmful to aquatic organisms

Water hazard class (Germany) 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

#### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

#### <sup>.</sup> Recommendation

Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# <sup>.</sup> Uncleaned packagings:

#### Recommendation:

Non contaminated packagings can be treated like household garbage.

- Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accord IMO instruments</li> </ul>	ing to Not applicable.	
· UN "Model Regulation":	Void	

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

<sup>-</sup> GB

Printing date 10.03.2025

Version number 4 (replaces version 3)

Revision: 10.03.2025

#### Trade name EXPRESS COAT EC 260 KOMP. A

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 VPVB: very Persistent and very Bioaccumulative
 Skin Sens. 1: Skin sensitisation – Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* \* Data compared to the previous version altered.

(Contd. of page 6)