GB

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 14.09.2021

```
Printing date 14.09.2021
                               Version number 7 (replaces version 6)
   SECTION 1: Identification of the substance/mixture and of the company/undertaking
   · 1.1 Product identifier

    Trade name FERTIGPUTZ FP 30

  · 1.2 Relevant identified uses of the substance or mixture and uses advised against
   No further relevant information available.
  · Application of the substance / the mixture Ready-mixed mortar
  · 1.3 Details of the supplier of the safety data sheet
  · Manufacturer/Supplier:
   MUREXIN GmbH
   Franz v. Furtenbachstr. 1
   A-2700 Wiener Neustadt
   Tel.: +43 (0)2622/27401
  · Informing department: chemikalieninfo@murexin.com
   1.4 Emergency telephone number:
   UK National poisons Emergency number.: +44 (0) 870 600 6266
   SECTION 2: Hazards identification
  · 2.1 Classification of the substance or mixture
   Classification according to Regulation (EC) No 1272/2008
            corrosion
   Eye Dam. 1 H318 Causes serious eye damage.
   Skin Irrit. 2 H315 Causes skin irritation.
  · 2.2 Label elements
   Labelling according to Regulation (EC) No 1272/2008
   The product is classified and labelled according to the CLP regulation.
   Hazard pictograms
    GHS05

    Signal word Danger

  · Hazard-determining components of labelling:
   Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
   calcium dihydroxide
   · Hazard statements
   H315 Causes skin irritation.
   H318 Causes serious eye damage.
  Precautionary statements
   P101
                     If medical advice is needed, have product container or label at hand.
   P102
                     Keep out of reach of children.
   P103
                     Read carefully and follow all instructions.
   P260
                     Do not breathe dust.
   P280
                     Wear protective gloves / eye protection.
   P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
                     lenses, if present and easy to do. Continue rinsing.
   P310
                     Immediately call a POISON CENTER/doctor.
                                                                                    (Contd. on page 2)
```

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

### Trade name FERTIGPUTZ FP 30

	(Contd. of page 1)
P332+P313	If skin irritation occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:			
CAS: 65997-15-1	Cement portland, Low-chromate according to EU-VO 1907/2006	5-10%	
EINECS: 266-043-4			
	<ul> <li>Eye Dam. 1, H318</li> <li>Skin Irrit. 2, H315; STOT SE 3, H335</li> </ul>		
	🚯 Škin Irrit. 2, H315; STOT SE 3, H335		
CAS: 1305-62-0	calcium dihydroxide	1-2.5%	
EINECS: 215-137-3	📀 Eye Dam. 1, H318		
	<ul> <li>Eye Dam. 1, H318</li> <li>Skin Irrit. 2, H315; STOT SE 3, H335</li> </ul>		

# SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

• After skin contact

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

### Trade name FERTIGPUTZ FP 30

(Contd. of page 2)

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

# SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from humidity and keep away from water.

Keep container tightly sealed.

Store under dry conditions.

· Storage class 11

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

# 1305-62-0 calcium dihydroxide

WEL Short-term value: 4\* mg/m<sup>3</sup> Long-term value: 5 1\* mg/m<sup>3</sup>

\*resprable fraction

• Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

# General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

(Contd. on page 4)

<sup>-</sup> GB

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

# Trade name FERTIGPUTZ FP 30

	(Contd. of page 3)
Wash hands during breaks an	d at the end of the work.
Avoid contact with the skin.	
Avoid contact with the eyes an	d skin.
<ul> <li>Breathing equipment:</li> </ul>	
Breathing protection recomme	
	low pollution use breathing filter apparatus. In case of intensive or apparatus that is independent of circulating air.
<ul> <li>Hand protection</li> </ul>	
Protective gloves.	
The glove material has to b preparation.	e impermeable and resistant to the product/ the substance/ the
<ul> <li>Material of gloves</li> </ul>	
Nitrile rubber, NBR	
Butyl rubber, BR	
<ul> <li>Penetration time of glove ma</li> </ul>	aterial
	has to be found out by the manufacturer of the protective gloves and
has to be observed.	
<ul> <li>Eye/face protection</li> </ul>	
Safety glasses	
Tightly sealed safety glasses.	
<ul> <li>Body protection: Protective v</li> </ul>	vork clothing.

# SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and cher	mical proportios
· General Information	nical properties
· Colour:	White
· Smell:	Odourless
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	11-12.5
Solubility	
· Water:	Partly miscible
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Steam pressure:	Not applicable.
· Density and/or relative density	,,
· Density	Not determined
· Relative density	Not determined.
· Vapour density	Not applicable.
• 9.2 Other information	
· Appearance:	
· Form:	Powder
· Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	n.a. °C
Explosive properties:	Product is not explosive.
· Change in condition	
· Evaporation rate	Not applicable.
	(Contd. on page 5)

— GB -

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

### Trade name FERTIGPUTZ FP 30

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

### 65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

Dermal LD50 mg/kg (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7,340 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

(Contd. on page 6)

<sup>—</sup> GB

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

(Contd. of page 5)

### Trade name FERTIGPUTZ FP 30

### 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

### · 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

<sup>·</sup> Recommendation

Hand over to disposers of hazardous waste.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

ble.
3

Printing date 14.09.2021

Version number 7 (replaces version 6)

Revision: 14.09.2021

(Contd. of page 6)

Trade name FERTIGPUTZ FP 30

•	14.7	Maritime	transport in bulk according	to

IMO instruments

Not applicable.

· UN "Model Regulation":

# SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 1	6: Other i	information
-----------	------------	-------------

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

• Contact: chemikalieninfo@murexin.com (+43 02622/27401)

 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \*\* Data compared to the previous version altered.

GB