

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** *FLIESSMASSE TOPLEVEL FMI 50*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *Levelling material*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MUREXIN GmbH  
Franz v. Furtenbachstr. 1  
A-2700 Wiener Neustadt  
Tel.: +43 (0)2622/27401
- **Informing department:** *chemikalieninfo@murexin.com*
- **1.4 Emergency telephone number:**  
UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)*
- **Hazard statements**  
*H318 Causes serious eye damage.*
- **Precautionary statements**

|                       |   |
|-----------------------|---|
| <i>P101</i>           | <i>If medical advice is needed, have product container or label at hand.</i>  |
| <i>P102</i>           | <i>Keep out of reach of children.</i>   |
| <i>P103</i>           | <i>Read carefully and follow all instructions.</i>  |
| <i>P261</i>           | <i>Avoid breathing dust.</i>  |
| <i>P280</i>           | <i>Wear eye protection / face protection.</i>   |
| <i>P305+P351+P338</i> | <i>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i> |
| <i>P310</i>           | <i>Immediately call a POISON CENTER/doctor.</i>   |
| <i>P332+P313</i>      | <i>If skin irritation occurs: Get medical advice/attention.</i>   |
| <i>P501</i>           | <i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i>                              |
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 1)

· **vPvB:** Not applicable.



### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

##### · **Description:**

Mixture consisting of the following components with harmless additives.  
hydraulisch abbindende Nivelliermasse

##### · **Dangerous components:**

|                                      |   |        |
|--------------------------------------|---|--------|
| CAS: 1317-65-3<br>EINECS: 215-279-6  | Calciumcarbonat<br><br>substance with a Community workplace exposure limit  | 10-25% |
| CAS: 65997-15-1<br>EINECS: 266-043-4 | Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)<br>-----<br> Eye Dam. 1, H318<br> Skin Irrit. 2, H315; STOT SE 3, H335 | ≥3-<5% |

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

#### · **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

#### · **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

#### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### · 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

· **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

#### · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· **Information about protection against explosions and fires:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage

· **Requirements to be met by storerooms and containers:** Store only in the original container.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store under dry conditions.

· **Storage class 13**

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

· **Components with critical values that require monitoring at the workplace:**

##### 1317-65-3 Calciumcarbonat

|     |   |
|-----|---|
| WEL | Long-term value: 10* 4** mg/m <sup>3</sup><br>*inhalable dust; **respirable |
|-----|---|

##### 65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

|     |   |
|-----|---|
| WEL | Long-term value: 10* 4** mg/m <sup>3</sup><br>*inhalable dust **respirable dust |
|-----|---|

· **Additional information:** The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Filter P2.

· **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Gauze goggles
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

- |   |  |
|---|--|
| · <b>Physical state</b>   | Solid.   |
| · <b>Colour:</b>  | Grey   |
| · <b>Smell:</b>   | Odourless  |
| · <b>Odour threshold:</b>   | Not determined.                                  |
| · <b>Melting point/freezing point:</b>                            | Not determined                                   |
| · <b>Boiling point or initial boiling point and boiling range</b> | 2,230 °C (14808-60-7 Quartz (SiO <sub>2</sub> )) |
| · <b>Flammability</b>   | Not determined.                                  |
| · <b>Flash point:</b>   | Not applicable                                   |
| · <b>Decomposition temperature:</b>                               | Not determined.                                  |
| · <b>pH</b>   | Alkaline   |
| · <b>Viscosity:</b>   |  |
| · <b>Kinematic viscosity</b>                                      | Not applicable.                                  |
| · <b>dynamic:</b>   | Not applicable.                                  |
| · <b>Solubility</b>   |  |
| · <b>Water:</b>   | Partly miscible                                  |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                                  |
| · <b>Steam pressure at 1732 °C:</b>                               | 13.5 hPa (14808-60-7 Quartz (SiO <sub>2</sub> )) |
| · <b>Density and/or relative density</b>                          |  |
| · <b>Density at 20 °C</b>   | 2.3-2.6 g/cm <sup>3</sup>                        |
| · <b>Relative density</b>   | Not determined.                                  |
| · <b>Vapour density</b>   | Not applicable.                                  |

#### · 9.2 Other information

- |  |                              |
|--|------------------------------|
| · <b>Appearance:</b>   |                              |
| · <b>Form:</b>   | Powder                       |
| · <b>Important information on protection of health and environment, and on safety.</b> |                              |
| · <b>Self-inflammability:</b>  | Product is not selfigniting. |
| · <b>Explosive properties:</b>   | Product is not explosive.    |
| · <b>Change in condition</b>   |                              |
| · <b>Evaporation rate</b>  | Not applicable.              |

#### · Information with regard to physical hazard classes

- |  |      |
|--|------|
| · <b>Explosives</b>                            | Void |
| · <b>Flammable gases</b>                       | Void |
| · <b>Aerosols</b>                              | Void |
| · <b>Oxidising gases</b>                       | Void |
| · <b>Gases under pressure</b>                  | Void |
| · <b>Flammable liquids</b>                     | Void |
| · <b>Flammable solids</b>                      | Void |
| · <b>Self-reactive substances and mixtures</b> | Void |
| · <b>Pyrophoric liquids</b>                    | Void |
| · <b>Pyrophoric solids</b>                     | Void |

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 4)

|  |      |
|--|------|
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |
| · <b>Desensitised explosives</b>   | Void |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

#### 1317-65-3 Calciumcarbonat

|      |      |                    |
|------|------|--------------------|
| Oral | LD50 | >5,000 mg/kg (rat) |
|------|------|--------------------|

- **Serious eye damage/irritation** Causes serious eye damage.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) -**
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

|                                    |  |  |
|------------------------------------|--|--|
| None of the ingredients is listed. |  |  |
|------------------------------------|--|--|

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

#### 1317-65-3 Calciumcarbonat

|           |  |
|-----------|--|
| EC 50/48h | >1,000 mg/l (G)  |
| EC 50     | 289 mg/l (Desmodesmus subspicatus)                     |
| LC50      | >10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) |

|       |                                    |
|-------|------------------------------------|
| EC 50 | 289 mg/l (Desmodesmus subspicatus) |
|-------|------------------------------------|

|      |  |
|------|--|
| LC50 | >10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) |
|------|--|

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 5)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
 Must not reach sewage water or drainage ditch undiluted or unneutralised.  
 Water hazard class (Germany) 2 (Self-assessment): hazardous for water.  
 Do not allow product to reach ground water, water bodies or sewage system.  
 Danger to drinking water if even small quantities leak into soil.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key number:**  
 31409  
 Bauschutt (keine Baustellenabfälle)
- **Uncleaned packagings:**
- **Recommendation:**  
 Disposal must be made according to official regulations.  
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN number or ID number</b>                                  | Void            |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.2 UN proper shipping name</b>                                 | Void            |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.3 Transport hazard class(es)</b>                              |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>  | Void            |
| · <b>14.4 Packing group</b>   |                 |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.5 Environmental hazards:</b>                                  |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                       | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 04.09.2024

Version number 3 (replaces version 2)

Revision: 04.09.2024

Trade name **FLIESSMASSE TOPLEVEL FMI 50**

(Contd. of page 6)

|   |
|---|
| <ul style="list-style-type: none"> <li>· <b>Regulated poisons</b></li> </ul>                |
| <ul style="list-style-type: none"> <li>None of the ingredients is listed.</li> </ul>        |
| <ul style="list-style-type: none"> <li>· <b>Reportable explosives precursors</b></li> </ul> |
| <ul style="list-style-type: none"> <li>None of the ingredients is listed.</li> </ul>        |
| <ul style="list-style-type: none"> <li>· <b>Reportable poisons</b></li> </ul>               |
| <ul style="list-style-type: none"> <li>None of the ingredients is listed.</li> </ul>        |

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

- H315 Causes skin irritation.

- H318 Causes serious eye damage.

- H335 May cause respiratory irritation.

- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)

- **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- ICAO: International Civil Aviation Organisation

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- **\* Data compared to the previous version altered.**

GB