Printing date 17.07.2024



- · 1.1 Product identifier
- Trade name GOLDFARBE STABIL
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number .: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2

H225 Highly flammable liquid and vapour.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

- acetone
- · Hazard statements

H225 Highly flammable liquid and vapour.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand. P102
 - Keep out of reach of children.

(Contd. on page 2)

Version number 7 (replaces version 6)

Revision: 17.07.2024

Trade name GOLDFARBE STABIL

Printing date 17.07.2024

_		
	(Contd. of page 1)	
	Read carefully and follow all instructions.	P103
	Keep away from heat, hot surfaces, sparks, open flames and other ignition	P210
	sources. No smoking.	
	Avoid release to the environment.	P273
	Wear protective gloves / eye protection / face protection.	P280
	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	P303+P361+P353
	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P305+P351+P338
	Dispose of contents/container in accordance with local/regional/national/ international regulations.	P501
	mation:	· Additional inform
	ed exposure may cause skin dryness or cracking.	EUH066 Repeated
	Reportable explosives precursors. Making available, introduction, possession and	Product contains:
	Regulation (EU) 2019/1148, Article 9.	use according to F
	,	· 2 3 Other hazarde

2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6	ethanol	25-50%
CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49- 0008	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066, EUH210	10-25%
CAS: 7440-50-8 EINECS: 231-159-6	copper	≥10-<25%
CAS: 7440-66-6 EINECS: 231-175-3	zinc powder -zinc dust (stabilized)	≥1-<2.5%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36- xxxx	2-butoxyethanol Acute Tox. 3, H331 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	0.5-1%
CAS: 78-93-3 EINECS: 201-159-0 Reg.nr.: 01-2119457290-43- xxxx	butanone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	<0.5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation
- Supply fresh air; consult doctor in case of symptoms.
- In case of unconsciousness bring patient into stable side position for transport.
- After skin contact Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 17.07.2024

Version number 7 (replaces version 6)

Revision: 17.07.2024

(Contd. of page 2)

Trade name GOLDFARBE STABIL

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. • **After swallowing** Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- [•] Suitable extinguishing agents
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture** Formation of poisonous gases during heating or in fires.
- 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Put on breathing apparatus.
 Wear protective equipment. Keep unprotected persons away.
 Wear protective clothing.
 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies. Prevent material from reaching sewage system, holes and cellars. Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep containers tightly sealed.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- Keep breathing equipment ready.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and containers:** Store in cool location.
- Store only in the original container.

(Contd. on page 4)

GB

Printing date 17.07.2024

Version number 7 (replaces version 6)

Revision: 17.07.2024

Trade name GOLDFARBE STABIL

(Contd. of page 3)

- Information about storage in one common storage facility: Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

• Storage class 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

78-93-3 butanone

BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

(Contd. on page 5)

GB ·

Printing date 17.07.2024

classes · Explosives

· Aerosols

· Flammable gases

[.] Oxidising gases

J. Tr

rade name GOLDFARBE STABIL	
	(Contd. of page 4)
 Hand protection 	
DIN EN 374	
Protective gloves.	
 Material of gloves 	
Nitrile rubber, NBR	
Butyl rubber, BR	
Penetration time of glove material	
The exact break trough time has to be found	l out by the manufacturer of the protective gloves and
has to be observed.	
• Eye/face protection Safety glasses	
• Body protection: Protective work clothing.	
SECTION 9: Physical and chemical pro	operties
• 9.1 Information on basic physical and cher	nical properties
· General Information	Fluid
· Physical state	Fluid
· Colour:	Gold coloured
· Smell:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	78 °C
Flammability	Flammable.
• Lower and upper explosion limit	
· Lower:	2.6 Vol %
Upper:	15 Vol %
Flash point:	14.5 °C
Auto-ignition temperature:	425 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	not miscible
Steam pressure at 20 °C:	247 hPa
Density and/or relative density	
· Density at 20 °C	1.1 g/cm³
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
 Important information on protection of hea and environment, and on safety. 	llth
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of
	explosive air/steam mixtures is possible.
· Solvent content:	
· Solids content:	0.0 %
· Information with regard to physical haza	ard

Void

Void

Void

Void

Printing date 17.07.2024

Revision: 17.07.2024

Trade name GOLDFARBE STABIL

	(Contd. of page 5
· Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

64-17-5 et	ΠαΠΟΙ	
Oral	LD50	7,060 mg/kg (rat)
nhalative	LC50/4 h	20,000 mg/l (rat)
67-64-1 ad	cetone	
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)
111-76-2	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
nhalative	LC50/4 h	3 mg/l (ATE)
		450 mg/l (rat)
78-93-3 b	utanone	
Oral	LD50	3,300 mg/kg (rat)
Dermal	LD50	6,400-8,000 mg/kg (rabbit)
		ation Based on available data, the classification criteria are not met.
		e/irritation
auses se	erious eye	irritation.

• **Carcinogenicity** based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Printing date 17.07.2024

Version number 7 (replaces version 6)

Revision: 17.07.2024

(Contd. of page 6)

List II

Trade name GOLDFARBE STABIL

• STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

[.] 11.2 Information on other hazards

· Endocrine disrupting properties

78-93-3 butanone

SECTION 12: Ecol	ogical information
------------------	--------------------

· Aquatic toxicity:

111-76-2 2-butoxyethanol

EC 50 1,840 mg/l (Acartia Tonsa)

1,550 mg/l (G)

LC50 1,474 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

78-93-3 butanone

ErC50 2,029 mg/l (F2)

EC 50 308 mg/l (G) (48h)

• **12.2 Persistence and degradability** No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

[•] 12.7 Other adverse effects

· Remark: Toxic for fish

· Additional ecological information:

· General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class (Germany) 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN1263

(Contd. on page 8)

GB

Printing date 17.07.2024

Version number 7 (replaces version 6)

Revision: 17.07.2024

Trade name GOLDFARBE STABIL

	(Contd. of pag
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1263 PAINT, ENVIRONMENTALLY HAZARDOU PAINT, MARINE POLLUTANT PAINT
· 14.3 Transport hazard class(es)	
· ADR, IMDG	
[.] Class	3 Flammable liquids.
· Label	3
·IATA	
· Class · Label	3 Flammable liquids. 3
	3
 14.4 Packing group ADR, IMDG, IATA 	II
· 14.5 Environmental hazards:	
[.] Marine pollutant:	No
Created marking (ADD):	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
• 14.6 Special precautions for user	Warning: Flammable liquids.
· Kemler Number: · EMS Number:	33 F-E,S-E
· Stowage Category	В
· 14.7 Maritime transport in bulk accordi	ng to
IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
Limited quantities (LQ)	5L
Transport category	2
Tunnel restriction code	D/E
· UN "Model Regulation":	UN 1263 PAINT, 3, 11, ENVIRONMENTAL HAZARDOUS

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

(Contd. on page 9)

GB

Printing date 17.07.2024

Revision: 17.07.2024

Trade name GOLDFARBE STABIL

· Reportable explosives precursors

Listed

(Contd. of page 8)

67-64-1 acetone

• **Reportable poisons** None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other inform

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 * * Data compared to the previous version altered.