# Safety data sheet according to UK REACH

Printing date 23.09.2024

Revision: 23.09.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## <sup>•</sup> 1.1 Product identifier

- · Trade name INJECT EP BS 3 KOMP. A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Epoxy resin

• 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

· Informing department: chemikalieninfo@murexin.com

1.4 Emergency telephone number:

UK National poisons Emergency number .: +44 (0) 870 600 6266

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

to environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.

· 2.2 Label elements

## · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: Epichlorhydrin-bisphenol A resin

- oxirane, mono[(C12-14-alkyloxy)methyl] derivs
- <sup>.</sup> Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- P273 Avoid release to the environment.

(Contd. on page 2)

Version number 1

Revision: 23.09.2024

P280       Wear protective gloves / eye protection         P305+P351+P338 IF IN EYES: Rinse cautiously with wa lenses, if present and easy to do. Cont         P333+P313       If skin irritation or rash occurs: Get mean         P501       Dispose of contents/container in a international regulations.         Additional information: Contains epoxy constituents. May produce an allergic read         P333+P313       BT and vPvB assessment         P501       PBT and vPvB assessment         P51: Not applicable.         PvB: Not applicable.	rater for several minutes. Remove con tinue rinsing. edical advice/attention. accordance with local/regional/natio
lenses, if present and easy to do. Cont 2333+P313 2501 If skin irritation or rash occurs: Get med Dispose of contents/container in a international regulations. Additional information: Contains epoxy constituents. May produce an allergic read 3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	tinue rinsing. edical advice/attention. accordance with local/regional/natio
P333+P313       If skin irritation or rash occurs: Get med         P501       Dispose of contents/container in a international regulations.         Additional information:       Contains epoxy constituents. May produce an allergic read         Contains epoxy constituents. May produce an allergic read       Contains epoxy constituents. May produce an allergic read         Contains of PBT and vPvB assessment       Contains epoxy constituents.	edical advice/attention. accordance with local/regional/natio
international regulations. Additional information: Contains epoxy constituents. May produce an allergic rea C.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	-
Additional information: Contains epoxy constituents. May produce an allergic read 3.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	action.
2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	action.
2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	
BT: Not applicable.	
SECTION 3: Composition/information on ingredi	ients
.2 Mixtures	
Description:	
<i>Aixture consisting of the following components with harml</i>	less additives
poxidharz auf Basis Bisphenol-A, enthält Kresylglycidyle	

CAS: 25068-38-6	Epichlorhydrin-bisphenol A resin	50-100%
NLP: 500-033-5 Reg.nr.: 01-2119456619-26- 0XXX	<ul> <li>Aquatic Chronic 2, H411</li> <li>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317</li> <li>EUH205</li> <li>Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5%</li> <li>Eye Irrit. 2; H319: C ≥ 5 %</li> </ul>	
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10-25%

# SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation
- Supply fresh air and call for doctor for safety reasons.
- In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact Instantly wash with water
- Instantly wash with water and soap and rinse thoroughly. Seek medical treatment.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# SECTION 5: Firefighting measures

- <sup>•</sup> 5.1 Extinguishing media
- <sup>.</sup> Suitable extinguishing agents
- Use fire fighting measures that suit the environment.

(Contd. on page 3)

GB

Version number 1

Revision: 23.09.2024

# Trade name INJECT EP BS 3 KOMP. A

(Contd. of page 2) CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. • **5.2 Special hazards arising from the substance or mixture** 

Formation of toxic gases is possible during heating or in case of fire.

<sup>•</sup> 5.3 Advice for firefighters

· Protective equipment: No special measures required.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
  6.2 Environmental precautions: Do not allow to enter the ground/soil.
- Do not allow to enter the groundsoll. Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water or sewage system. Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:
- Provide floor trough without outlet.
- Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Protect from frost.
- Keep container tightly sealed.
- Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

### <sup>•</sup> 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

GB

# Safety data sheet according to UK REACH

Printing date 23.09.2024

Version number 1

Revision: 23.09.2024

# Trade name INJECT EP BS 3 KOMP. A

Individual protection measures, such as p	(Contd. of page
General protective and hygienic measures	
The usual precautionary measures should be	
Keep away from foodstuffs, beverages and fo	
Instantly remove any soiled and impregnated	
Wash hands during breaks and at the end of a	
Avoid contact with the eyes and skin.	
Breathing equipment:	
Filter A/P2.	
In case of brief exposure or low pollution u longer exposure use breathing apparatus that	use breathing filter apparatus. In case of intensive t is independent of circulating air.
Hand protection	
Protective gloves.	
	le and resistant to the product/ the substance/ t
preparation.	· · · · · · · · · · · · · · · · · · ·
Material of gloves	
Nitrile rubber, NBR	
Butyl rubber, BR	
	anly depend on the meterial but also an further man
	only depend on the material, but also on further mar
of quality and varies from manufacturer to ma	inutacturer.
Penetration time of glove material	
	d out by the manufacturer of the protective gloves a
has to be observed.	
Eye/face protection Tightly sealed safety gla	asses.
Body protection: Protective work clothing.	
SECTION 9: Physical and chemical pro	
9.1 Information on basic physical and cher	
9.1 Information on basic physical and cher General Information	mical properties
9.1 Information on basic physical and cher General Information Physical state	mical properties
9.1 Information on basic physical and cher General Information Physical state Colour:	mical properties
9.1 Information on basic physical and cher General Information Physical state	mical properties
9.1 Information on basic physical and cher General Information Physical state Colour:	mical properties Fluid Yellowish
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold:	mical properties Fluid Yellowish Mild
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and	<b>mical properties</b> Fluid Yellowish Mild Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin)
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	<i>mical properties</i> <i>Fluid</i> Yellowish <i>Mild</i> Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	<i>mical properties</i> <i>Fluid</i> Yellowish <i>Mild</i> Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin)
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4)
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1- alkyloxy)methyl] derivs)
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4 alkyloxy)methyl] derivs) Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs)
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Not determined. Mixture is non-soluble (in water).
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Not determined. Mixture is non-soluble (in water).
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4) alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C: Solubility Water:	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-1-4 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined. 1,100 mPas
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined. 1,100 mPas Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value)	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined. 1,100 mPas Not determined. Not determined. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined. 1,100 mPas Not determined. Not determined.
9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value)	mical properties Fluid Yellowish Mild Not determined. >200 °C (25068-38-6 Epichlorhydrin-bisphenol resin) Not applicable. Not determined. >150 °C (25068-38-6 Epichlorhydrin-bisphenol resin) >268 °C (68609-97-2 oxirane, mono[(C12-14 alkyloxy)methyl] derivs) Not determined. Mixture is non-soluble (in water). Not determined. 1,100 mPas Not determined. Not determined. Not determined.

Version number 1

Revision: 23.09.2024

Trade name INJECT EP BS 3 KOMP. A

	(Contd. of page
Density and/or relative density	
Density at 20 °C	1.1 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not determined.
classes Explosives Elementals access	Void
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with alkali, amines and strong acids

· 10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Poisonous gases/vapours

# SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

# 25068-38-6 Epichlorhydrin-bisphenol A resin

Oral	LD50	19,800 mg/kg (rabbit)
		11,400 mg/kg (rat)

(Contd. on page 6)

GB

# Safety data sheet according to UK REACH

Printing date 23.09.2024

Version number 1

Revision: 23.09.2024

(Contd. of page 5)

## Trade name INJECT EP BS 3 KOMP. A

ka (rabhit)

Dermal LD50 20,000 mg/kg (rabbit) • **Skin corrosion/irritation** Causes skin irritation.

• Serious eye damage/irritation Causes serious eye irritation.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

· 11.2 Information on other hazards

• Endocrine disrupting properties

128-37-0	Butylated hydroxytoluene	List II
556-67-2	octamethylcyclotetrasiloxane	List II; III
	Decamethylcyclopentasiloxan	List II
540-97-6	Dodecamethylcyclohexasiloxan	List II

# **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

25068-38-6 Epichlorhydrin-bisphenol A resin

EC 50 11 mg/l (Desmodesmus subspicatus)

1.8 mg/l (G)

IC 50 100 mg/l (bacteria)

LC50 2 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (semistatisch, 96h)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class (Germany) 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

# SECTION 13: Disposal considerations

### <sup>•</sup> 13.1 Waste treatment methods

· Recommendation

Must be specially treated under adherence to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

(Contd. on page 7)

GB

Version number 1

Revision: 23.09.2024

Trade name INJECT EP BS 3 KOMP. A

(Contd. of page 6)

14.1 UN number or ID number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (Epichlorhydri bisphenol A resin)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Epichlorhydrin-bisphenol A resir
	MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Epichlorhydrin-bisphenol A resin)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
<b><!--!!--></b> < <u>₺</u> 2>	
₹	
Class	9 Miscellaneous dangerous substances ar
	articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	
14.5 Environmental hazards:	Product contains environmentally hazardou
Marina nollutanti	substances: Epichlorhydrin-bisphenol A resin Yes
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATÁ):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances a
	articles.
Kemler Number:	90
EMS Number: Stowage Category	F-A,S-F A
• • •	· ·
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	(-)
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S (EPICHLORHYDRIN-BISPHENOLARESIN), 9, 11

(Contd. on page 8)

Version number 1

Revision: 23.09.2024

#### Trade name INJECT EP BS 3 KOMP. A

(Contd. of page 7)

# SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

#### <sup>.</sup> Regulated poisons

None of the ingredients is listed.

#### · Reportable explosives precursors

None of the ingredients is listed.

#### Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- EUH205 Contains epoxy constituents. May produce an allergic reaction.

#### · Contact: chemikalieninfo@murexin.com (+43 02622/27401)

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2

#### • \* Data compared to the previous version altered.