Printing date 23.11.2021

Revision: 23.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- [•] 1.1 Product identifier
- · Trade name KLEBSTOFF 2K PU 330 KOMP.A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- [·] 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling:
- phenol, styrenated
- · Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- [•] Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P280 Wear protective clothing / eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

Trade name KLEBSTOFF 2K PU 330 KOMP.A

vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture consisting of the following components with harmless additives.

Lösungsmittelfreies Polyol

| Dang | erous | com | ponents: | |
|------|-----------|-----|----------|--|
| 010 | 0 1 2 0 0 | | | |

| 2 | | |
|------------------------------|--|------------|
| CAS: 61788-44-1 | phenol, styrenated | 2.5-5% |
| EINECS: 262-975-0 | Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| Reg.nr.: 01-2119980970270000 | 🗘 🚯 Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| - | · | |
| CAS: 13463-67-7 | titanium dioxide | ≥0.1-<0.5% |
| EINECS: 236-675-5 | 🚸 Carc. 2, H351 | _ |
| | | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation
- Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

Trade name KLEBSTOFF 2K PU 330 KOMP.A

(Contd. of page 2) Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. • 6.4 Reference to other sections No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

[•] 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

· Information about storage in one common storage facility: Store away from foodstuffs.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

- [•] 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals.
- Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

- Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves.
- Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Fluid

Grey

- Eye/face protection Safety glasses
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state · Colour:

(Contd. on page 4)

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

Trade name KLEBSTOFF 2K PU 330 KOMP.A

| | (Contd. of | page 3 |
|---|-------------------------------|--------|
| · Smell: | Mild | |
| · Odour threshold: | Not determined. | |
| Boiling point or initial boiling point and | | |
| boiling range | 313 °C (8001-79-4 Castor oil) | |
| · Flammability | Not applicable. | |
| Flash point: | 229 °C (8001-79-4 Castor oil) | |
| Self-inflammability: | Product is not selfigniting. | |
| Decomposition temperature: | Not determined. | |
| pH | Not determined. | |
| Solubility | | |
| Water: | Not determined. | |
| Partition coefficient n-octanol/water (log | | |
| value) | Not determined. | |
| Steam pressure at 20 °C: | <1 hPa (8001-79-4 Castor oil) | |
| Density and/or relative density | | |
| Density | Not determined | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| 9.2 Other information | | |
| Appearance: | Desta | |
| Form: | Pasty | |
| Important information on protection of heal | tn | |
| and environment, and on safety. | Draduct is water unlastic | |
| Explosive properties: | Product is not explosive. | |
| Change in condition | Not determined. | |
| Evaporation rate | | |
| Information with regard to physical haza classes | rd | |
| Explosives | Void | |
| Flammable gases | Void | |
| · Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| [•] Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |
| Desensitised explosives | voiu | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 5)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Trade name KLEBSTOFF 2K PU 330 KOMP.A

(Contd. of page 4)

List II

Revision: 23.11.2021

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 \cdot Acute toxicity

· LD/LC50 values that are relevant for classification:

61788-44-1 phenol, styrenated

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

· 11.2 Information on other hazards

Endocrine disrupting properties

61788-44-1 phenol, styrenated

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

61788-44-1 phenol, styrenated

ErL50 3.14 mg/l (Pseudokirchneriella subcapitata (Alge)) ((72 h) (OECD 203))

EL50 5 mg/l (Daphnia magna (Großer Wasserfloh)) ((OECD 202))

· 12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- [•] 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- [•] 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- General notes:
- Harmful to aquatic organisms

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

(Contd. of page 5)

Trade name KLEBSTOFF 2K PU 330 KOMP.A

· Recommended cleaning agent: Water, if necessary with cleaning agent.

| SECTION 14: Transport information | | | |
|---|-----------------|--|--|
| · 14.1 UN number or ID number · ADR, IMDG, IATA | Void | | |
| • 14.2 UN proper shipping name • ADR, IMDG, IATA | Void | | |
| · 14.3 Transport hazard class(es) | | | |
| · ADR, ADN, IMDG, IATA · Class | Void | | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | | |
| 14.6 Special precautions for user | Not applicable. | | |
| • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. | | | |
| · UN "Model Regulation": | Void | | |

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 7)

GB

Printing date 23.11.2021

Version number 3 (replaces version 2)

Revision: 23.11.2021

(Contd. of page 6)

GB

Trade name KLEBSTOFF 2K PU 330 KOMP.A

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

** Data compared to the previous version altered.