15 05 2024 - · ·

Varaian . inin 15 05 2024

Printing date 15.05.	2024	Version number 4	Revision: 15.05.2024			
	dontification	of the substance/mixture and o	of the company/undertaking			
SECTION 1.1	Gentification	or the substance/mixture and o	or the company/undertaking			
· 1.1 Product ide	entifier					
	<u> </u>	f the substance or mixture and u available.	ses advised against			
• Application of	the substance.	/ the mixture Repair mortar				
1.3 Details of t Manufacturer/S MUREXIN Gmb Franz v. Furten A-2700 Wiener Tel.: +43 (0)262	Supplier: bH bachstr. 1 Neustadt	he safety data sheet				
1.4 Emergency	 Informing department: chemikalieninfo@murexin.com 1.4 Emergency telephone number: UK National poisons Emergency number.: +44 (0) 870 600 6266 					
	sons Emergency	y number +44 (0) 870 000 0200				
	lazards identi	ification				
		tance or mixture egulation (EC) No 1272/2008				
corros	ion					
Eye Dam. 1 H3	818 Causes serio	ous eye damage.				
Skin Irrit. 2 H3	315 Causes skin	irritation.				
	rding to Regula classified and lab	ation (EC) No 1272/2008 belled according to the GB CLP regu	ulation.			
GHS05						
[•] Signal word Data	anger					
Cement portlan • Hazard statem H315 Causes s	d, Low-chromate ents	ents of labelling: e according to EU-VO 1907/2006 (R age	REACH)			
· Precautionary						
P101 P102		vice is needed, have product contai reach of children.	iner or label at hand.			
P103	Read careful	ly and follow all instructions.				
P264 P280		ghly after handling. tive gloves / eye protection / face pr	otection			
P305+P351+P3	338 IF IN EYES: lenses, if pre	Rinse cautiously with water for se sent and easy to do. Continue rinsi	everal minutes. Remove contact			
P310 P362+P364		call a POISON CENTER/doctor. taminated clothing and wash it befo	re reuse			
P332+P313		on occurs: Get medical advice/atten	tion.			
			(Contd. on page 2)			

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

(Contd. of page 1)

Trade name MUREFIX MF 4

- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture consisting of the following components with harmless additives.

· Dangerous components:				
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat	10-25%		
EINECS. 215-279-0	substance with a Community workplace exposure limit			
CAS: 65997-15-1	Cement portland, Low-chromate according to EU-VO 1907/2006	10%		
EINECS: 266-043-4				
	 Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 			

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- [•] 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

⁻ GB

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

(Contd. of page 2)

Trade name MUREFIX MF 4

6.4 Reference to other sections

- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store under dry conditions.

• Storage class 13

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

1317-65-3 Calciumcarbonat

WEL Long-term value: 10* 4** mg/m³

*inhalable dust; **respirable

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. Filter P2.

· Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

GB ·

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

Trade name MUREFIX MF 4

	(Contd. of page 3)
Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the weara	bility.
Penetration time of glove material	

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed safety glasses.

· Body protection: Protective work clothing.

Self-reactive substances and mixtures

Self-heating substances and mixtures

Substances and mixtures, which emit flammable gases in contact with water

· Pyrophoric liquids

· Pyrophoric solids

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties · General Information · Colour: Grey · Smell: Characteristic · Melting point/freezing point: Not determined · Boiling point or initial boiling point and boiling range Not determined Not applicable · Flash point: Alkaline · pH Not applicable. · Viscosity: · Kinematic viscosity Not applicable. Not applicable. · dynamic: · Solubility · Water: Partly miscible Not applicable. Steam pressure: Density and/or relative density Not determined · Density [•] 9.2 Other information · Appearance: · Form: Powder · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive. - Solvent content: · Solids content: 100.0 % · Information with regard to physical hazard classes Void · Explosives · Flammable gases Void Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void

(Contd. on page 5)

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

(Contd. of page 4)

Trade name MUREFIX MF 4

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- [•] 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

1317-65-3 Calciumcarbonat

EC 50/48h >1,000 mg/l (G)

- EC 50 289 mg/l (Desmodesmus subspicatus)
- LC50 >10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

· 12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

[•] 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

GB

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

(Contd. of page 5)

Trade name MUREFIX MF 4

- [•] 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void		
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards: · Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

[•] 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[.] Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

GB

Printing date 15.05.2024

Version number 4

Revision: 15.05.2024

(Contd. of page 6)

Trade name MUREFIX MF 4

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. Contact: chemikalieninfo@murexin.com (+43 02622/27401) Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

** Data compared to the previous version altered.