Printing date 28.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

[•] 1.1 Product identifier

- Trade name NATURSTEINTEPPICHHARZ PU 1K
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Binder Installation material
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- Informing department: chemikalieninfo@murexin.com
 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS07

Acute Tox. 4H332 Harmful if inhaled.Skin Sens. 1H317 May cause an allergic skin reaction.STOT SE 3H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

[.] 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms**



· Signal word Warning

- · Hazard-determining components of labelling:
- Hexamethylene diisocyanate oligomers, isocyanurate
- Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Hazard statements

- H332 Harmful if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- P273 Avoid release to the environment.

(Contd. on page 2)

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 1)
 P280 Wear protective gloves / eye protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information:
 Contains isocyanates. May produce an allergic reaction.
 As from 24 August 2023 adequate training is required before industrial or professional use.
 2.3 Other hazards
 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

 Dangerous components: 		
CAS: 28182-81-2 EC number: 931-297-3 Reg.nr.: 01-2119488934-20- 0000	Hexamethylene diisocyanate oligomers, isocyanurate Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335 EUH204	50-100%
CAS: 1065336-91-5 EC number: 915-687-0 Reg.nr.: 01-2119491304-40- 0000	Reaction mass of bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate Consisting of: 41556-26-7 Bis(1,2,2,6,6-pentamethyl-4- piperidyl)sebacat (50%); 82919-37-7 methyl 1,2,2,6,6- pentamethyl-4-piperidylsebacate (50%) Repr. 2, H361f Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO) Nitrogen oxides (NOx) Can be released in case of fire (Traces) Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained breathing apparatus.

Put on breathing apparatus.

· Additional information Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources Ensure adequate ventilation Wear protective clothing.
 6.2 Environmental precautions: Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

• 6.3 Methods and material for containment and cleaning up:

Allow to solidify. Collect mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 3)

SECTION 8: Exposure controls/personal pro • 8.1 Control parameters • Components with critical values that require mon The product does not contain any relevant quantities	tection			
· Components with critical values that require mor				
· Components with critical values that require mor				
	nitoring at the workplace:			
	The product does not contain any relevant quantities of materials with critical values that have to be			
monitored at the workplace.				
• Additional information: The lists that were valid during the compilation were used as basis.				
8.2 Exposure controls				
· Appropriate engineering controls No further data;				
 Individual protection measures, such as persona General protective and hygienic measures 	i protective equipment			
	ed to in handling the chemicals			
The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.				
Instantly remove any soiled and impregnated garments.				
Wash hands during breaks and at the end of the wor				
· Breathing equipment:				
Filter P3.				
In case of brief exposure or low pollution use brea	athing filter apparatus. In case of intensive or			
longer exposure use breathing apparatus that is independent of circulating air.				
· Hand protection				
Protective gloves.				
The glove material has to be impermeable and	resistant to the product/ the substance/ the			
preparation.				
· Material of gloves				
	enend on the material but also on further marks			
The selection of the suitable gloves does not only de				
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu	irer.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess	irer.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material	irer. ary tricoted to improve the wearability.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by	irer. ary tricoted to improve the wearability.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed.	irer. ary tricoted to improve the wearability. • the manufacturer of the protective gloves and			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of	irer. ary tricoted to improve the wearability. • the manufacturer of the protective gloves and			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed.	irer. ary tricoted to improve the wearability. • the manufacturer of the protective gloves and			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of	irer. ary tricoted to improve the wearability. • the manufacturer of the protective gloves and			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of	irer. ary tricoted to improve the wearability. I the manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of • Body protection: Protective work clothing. • SECTION 9: Physical and chemical propertie	irer. ary tricoted to improve the wearability. If the manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of • Body protection: Protective work clothing. • SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical p	irer. ary tricoted to improve the wearability. If the manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of • Body protection: Protective work clothing. • SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical p • General Information	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. Some source and the protective gloves and the manufacturer of the protective gloves and the manufacturer of the protective gloves and the manufacturer of the wearability. () () () () () () () () () ()			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of • Body protection: Protective work clothing. • SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical pro- • General Information • Physical state	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. () () () () () () () () () ()			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical pro- General Information • Physical state • Colour: Co	irer. ary tricoted to improve the wearability. 7 the manufacturer of the protective gloves and during refilling. es properties uid lourless			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufacture to gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended to Body protection: Protective work clothing. • SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch	ary tricoted to improve the wearability. The manufacturer of the protective gloves and during refilling. Properties uid lourless aracteristic			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch	ary tricoted to improve the wearability. <i>t</i> the manufacturer of the protective gloves and during refilling. <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i>			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch • Odour threshold: No • Melting point/freezing point: No	ary tricoted to improve the wearability. The manufacturer of the protective gloves and during refilling. Properties uid lourless aracteristic			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess • Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • Body protection: Protective work clothing. • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch • Odour threshold: No • Melting point/freezing point: No	ary tricoted to improve the wearability. ary tricoted to improve the protective gloves and the manufacturer of the protective gloves and during refilling. es es properties uid lourless aracteristic t determined. t determined			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch • Odour threshold: No • Boiling point or initial boiling point and boiling range 1	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. () () () () () () () () () ()			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactur. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Odour threshold: No • Boiling point or initial boiling point and boiling range 1	ary tricoted to improve the wearability. ary tricoted to improve the protective gloves and the manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • Body protection: Protective work clothing. • SECTION 9: Physical and chemical properties • General Information on basic physical and chemical properties • Colour: Co • Colour: Co • Smell: Ch • Melting point/freezing point: No • Boiling point or initial boiling point and boiling range 1 • Flammability No	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. () () () () () () () () () ()			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. • Eye/face protection Safety glasses recommended of Body protection: Protective work clothing. • Body protection: Protective work clothing. • SECTION 9: Physical and chemical properties • General Information on basic physical and chemical properties • Colour: Co • Colour: Co • Melting point/freezing point: No • Boiling point or initial boiling point and boiling range 1 • Flammability No	ary tricoted to improve the wearability. ary tricoted to improve the protective gloves and during refilling. es properties uid lourless aracteristic t determined. t determined 7 5 ° C (1 1 1 1 0 9 - 7 7 - 4 propylenglykoldimethylether) t applicable.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to be observed. Body protection: Protective work clothing. SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Physical state Liq • Colour: Co • Smell: Ch • Odour threshold: No • Boiling point or initial boiling point and boiling range 1 • Flammability No • Lower: No	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. es properties uid lourless aracteristic t determined. t determined 7 5 ° C (1 1 1 1 0 9 - 7 7 - 4 propylenglykoldimethylether) t applicable. t determined.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to be observed. SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties • General Information • Physical state • Colour: Co • Odour threshold: No • Boiling point or initial boiling point and boiling range 1 • Flammability No • Lower: No • Upper: No	ary tricoted to improve the wearability. (the manufacturer of the protective gloves and during refilling. () () () () () () () () () ()			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to be observed. SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • Second state Liq • Colour: Co • Odour threshold: No • Melting point/freezing point: No • Flammability No • Lower: No • Lower: No • Jupper: No	rrer. ary tricoted to improve the wearability. The manufacturer of the protective gloves and during refilling. S Properties uid lourless aracteristic t determined. t determined. t determined 7 5 ° C (1 1 1 1 0 9 - 7 7 - 4 t opplicable. t determined. 5 ° C (1 1 1 1 0 9 - 7 7 - 4			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to be observed. SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information • Physical state Liq • Colour: Co • Odour threshold: No • Melting point or initial boiling point and Dip • Flammability No • Lower: No • Upper: No • Flash point: 6	rrer. ary tricoted to improve the wearability. the manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to be observed. SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties • General Information • Physical state • Colour: Co • Odour threshold: No • Melting point/freezing point: No • Flammability No • Lower:	The manufacturer of the protective gloves and during refilling.			
The selection of the suitable gloves does not only de of quality and varies from manufacturer to manufactu. Use gloves of stable material (e.g. Nitrile) - if necess Penetration time of glove material The exact break trough time has to be found out by has to be observed. Eye/face protection Safety glasses recommended to Body protection: Protective work clothing. SECTION 9: Physical and chemical propertie • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 9.1 Information on basic physical and chemical properties • 0 General Information • Physical state Liq • Colour: Co • Smell: Ch • Odour threshold: No • Boiling point or initial boiling point and boiling range 1 • Flammability No • Lower: No • Upper: No • Flash point: 6 • Dip Auto-ignition temperature: 1 • Dip Dip	rrer. ary tricoted to improve the wearability. the manufacturer of the protective gloves and during refilling.			

(Contd. on page 5)

GB

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

	(Contd. of page
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	500-700 mPas
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log	
value)	Not determined.
Steam pressure at 20 °C:	>0 hPa (28182-81-2 Hexamethylene diisocyanat
•	oligomers, isocyanurate)
Density and/or relative density	
Density at 20 °C	1.1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
· ·	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	
	Void
	Void Void
Flammable liquids	Void
Flammable liquids Flammable solids	Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Exothermic reaction

Reacts with alcohols

Reacts with amines

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB ·

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 5)

• 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

• STOT-single exposure May cause respiratory irritation.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

28182-81-2 Hexamethylene diisocyanate oligomers, isocyanurate

ErC50 199 mg/l (Scenedesmus subspicatus)

LC50/96h >100 mg/l (Brachydanio rerio (Zebrabärbling))

EC 50/48h >100 mg/l (Daphnia magna)

• **12.2 Persistence and degradability** No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

[•] 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

[·] 12.7 Other adverse effects

- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Harmful to aquatic organisms

Water hazard class (Germany) 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Void

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA

(Contd. on page 7)

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

		(Contd. of page 6
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 8)

GB

Printing date 28.04.2025

Version number 5 (replaces version 4)

Revision: 28.04.2025

Trade name NATURSTEINTEPPICHHARZ PU 1K

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	(Contd. of page 7)
Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	