
Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023



Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

	(Contd. of page 1)	
 Hazard staten 	nents	
H302 Harmful	if swallowed.	
H314 Causes s	severe skin burns and eye damage.	
H317 May cau	se an allergic skin reaction.	
H412 Harmful	to aquatic life with long lasting effects.	
· Precautionary	statements	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
P260	Do not breathe mist/vapours/spray.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin	
	with water [or shower].	
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P501	Dispose of contents/container in accordance with local/regional/national/	
	international regulations.	
· 2.3 Other haza	•	
	T and vPvB assessment	
• PBT: Not appli		

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

CAS: 100-51-6	Benzyl alcohol	25-50%
EINECS: 202-859-9 Reg.nr.: 01-2119492630-38- xxxxx	Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 1,030 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	10-25%
	3-aminomethyl-3,5,5-trimethylcyclohexylamine with 2,2'- [(1-methylethylidene)bis(4,1- phenyleneoxymethylene)] bisoxirane Skin Corr. 1B, H314; Eye Dam. 1, H318	10-25%
EC number: 700-960-7	Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol Skin Irrit. 2, H315; Skin Sens. 1, H317 Aquatic Chronic 3, H412	2.5-5%
CAS: 1477-55-0 EINECS: 216-032-5	 m-phenylenebis(methylamine) Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317 Aquatic Chronic 3, H412 	2.5%
CAS: 69-72-7 EINECS: 200-712-3 Reg.nr.: 01-2119486984-17- xxxx	salicylic acid	1-2.5%

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

	(Co	ntd. of page 2)
CAS: 25513-64-8 EINECS: 247-063-2 Reg.nr.: 01-2119560598-25-	3,3,5-trimethylhexamethylene-diamine Skin Corr. 1A, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1A, H317	1-2.5%
xxxx	•••••••••••••••••••••••••••••••••••••••	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness bring patient into stable side position for transport. Take affected persons into the open air and position comfortably

Seek medical treatment in case of complaints.

After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

[•] Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture** Formation of poisonous gases during heating or in fires.
- Formation of poisonous gases during near
- 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

(Contd. of page 3)

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep breathing equipment ready.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and containers:** Store only in the original container. Provide floor trough without outlet.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed containers. Protect from frost.

• Storage class 8 A

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 Additional information: The lists that were valid during the compilation were used as basis.
 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. Filter A/P2.

- · Hand protection Protective gloves.
- *Material of gloves* Nitrile rubber, NBR Fluorocarbon rubber (Viton)
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

(Contd. on page 5)

GB

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

(Contd. of page 4)

0.1 Information on basis abusisal and the	nical proportion
9.1 Information on basic physical and chen General Information	nical properties
Physical state	Fluid
Colour:	Yellowish
Smell:	Amine-like
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	Not determined
boiling range	>200 °C
Flammability	Not applicable.
Lower and upper explosion limit	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	100 °C
Decomposition temperature:	Not determined.
pH at 20 °C	10.9
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	412 mPas
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log	
value)	Not determined.
Steam pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	r roduci is not explosive.
Solids content:	0.0 %
Change in condition	0.0 /6
Evaporation rate	Not determined.
•	
Information with regard to physical haza	ara
classes Explosivos	Void
Explosives Elammable gases	Void
Flammable gases Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void

(Contd. on page 6)

GB

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

		(Contd. of page 5)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Poisonous gases/vapours Corrosive gases/vapours

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

100-51-6 Benzyl alcohol

Oral LD50 1,230 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rabbit)

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1,030 mg/kg (ATE)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

- Causes serious eye damage.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

• Endocrine disrupting properties

69-72-7 salicylic acid

List II; III

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

EC 50 37 mg/l (Acartia Tonsa) (DIN 38412 (72h))

42 mg/l (G) (DIN 38412 24h)

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

	(Contd. of page 6)
 12.2 Persistence and degradability No further relevant information available. 	
 12.3 Bioaccumulative potential No further relevant information available. 	
 12.4 Mobility in soil No further relevant information available. 	
 12.5 Results of PBT and vPvB assessment 	
· PBT: Not applicable.	
· vPvB: Not applicable.	
12.6 Endocrine disrupting properties	
For information on endocrine disrupting properties see section 11.	
12.7 Other adverse effects	
· Remark: Harmful to fish	
· Additional ecological information:	
General notes:	
Must not reach sewage water or drainage ditch undiluted or unneutralised.	
Harmful to aquatic organisms	
Water hazard class (Germany) 2 (Self-assessment): hazardous for water.	
Do not allow product to reach ground water, water bodies or sewage system.	
Danger to drinking water if even small quantities leak into soil.	

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

[.] Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

<i>14.1 UN number or ID number ADR, IMDG, IATA</i>	UN2735
14.2 UN proper shipping name ADR	2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S
	(<i>m</i> - <i>p</i> h e n y l e n e b i s (<i>m</i> e t h y l a <i>m</i> i n e)
	ISOPHORONEDIAMINE)
IMDG, IATA	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (n
·	phenylenebis (methylamine)
	ISOPHORONEDIAMINE)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
8	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

	(Contd. of page
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	80
· EMS Number:	Б.С. F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	B
· Segregation Code	SG35 Stow "separated from" SGG1-acids
. 117 Maritima transport in bulk accord	ing to
 14.7 Maritime transport in bulk accordi IMO instruments 	Not applicable.
Transport/Additional information:	and the second
· ADR	
· Limited quantities (LQ)	1L
· Transport category	2
· Tunnel restriction code	Ē
	-
· UN "Model Regulation":	UN 2735 POLYAMINES, LIQUID, CORROSIVE
	N.O.S. (M-PHENYLENEBIS(METHYLAMINE)
	ISOPHORONEDIAMINE), 8, II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2023

Version number 3

Revision: 13.09.2023

Trade name OBJEKTGRUNDIERUNG OG 80 KOMP.B

	(Contd. of page 8)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	· · · · · · · · · · · · · · · · · · ·
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	