Printing date 29.09.2021 Version number 3 (replaces version 2) Revision: 29.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name PARKETTBODENLAUGE PL 60 VINTAGE
- · Article number: 30570/3
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Paint remover
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MUREXIN GmbH

Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

- · Informing department: chemikalieninfo@murexin.com
- · 1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

Printing date 29.09.2021 Version number 3 (replaces version 2) Revision: 29.09.2021

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture consisting of the following components with harmless additives.

| · Dangerous components: | | |
|-------------------------|---|--------|
| CAS: 1310-73-2 | sodium hydroxide | 2.5-5% |
| EINECS: 215-185-5 | ♦ Met. Corr.1, H290; Skin Corr. 1A, H314 | |
| | ♠ Acute Tox. 4, H302 | |
| | Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % | |
| | Skin Corr. 1B; H314: 2 % ≤ C < 5 % | |
| | Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % | |
| | Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % | |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air or oxygen; call for doctor.

· After skin contact

Instantly rinse with water.

Call a doctor immediately.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Do not induce vomiting; instantly call for medical help.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

(Contd. on page 3)

Printing date 29.09.2021 Version number 3 (replaces version 2) Revision: 29.09.2021

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

(Contd. of page 2)

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep containers tightly sealed.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from metals.

Store away from water.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves.
- · Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Tightly sealed safety glasses.

Face protection

· Body protection: Protective work clothing.

- GE

Version number 3 (replaces version 2) Revision: 29.09.2021 Printing date 29.09.2021

Not determined.

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Clear · Smell: Light

· Boiling point or initial boiling point and

Not determined boiling range · Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· pH

· Solubility

Not determined. · Water:

· Partition coefficient n-octanol/water (log

Not determined. value)

· Density and/or relative density

· Density at 20 °C 1 g/cm³

· 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product is not explosive.

· Information with regard to physical hazard classes

Void **Explosives** Void Flammable gases Aerosols Void Oxidising gases Void Gases under pressure Void · Flammable liquids Void · Flammable solids Void

· Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

Printing date 29.09.2021 Version number 3 (replaces version 2)

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

(Contd. of page 4)

Revision: 29.09.2021

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 29.09.2021 Version number 3 (replaces version 2) Revision: 29.09.2021

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

· Recommended cleaning agent: Water, if necessary with cleaning agent.

(Contd. of page 5)

| SECTION 14: Transport information | 1 |
|---|---|
| 14.1 UN number or ID number ADR, IMDG, IATA | UN1824 |
| 14.2 UN proper shipping name ADR IMDG, IATA | 1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION |
| 14.3 Transport hazard class(es) | |
| ADR, IMDG, IATA | |
| | |
| Class | 8 Corrosive substances. |
| Label | 8 |
| 14.4 Packing group ADR, IMDG, IATA | II |
| 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user Kemler Number: | Warning: Corrosive substances. 80 |
| EMS Number: | F-A,S-B |
| Segregation groups | Alkalis |
| Stowage Category Segregation Code | A SG35 Stow "separated from" SGG1-acids |
| 14.7 Maritime transport in bulk accordi | na to |
| IMO instruments | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 1L |
| Transport category | 2 |
| Tunnel restriction code | E |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 29.09.2021 Version

Version number 3 (replaces version 2)

Trade name PARKETTBODENLAUGE PL 60 VINTAGE

(Contd. of page 6)

Revision: 29.09.2021

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

* Data compared to the previous version altered.

GB