Printing date 06.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name PARKETTKLEBSTOFF M 522
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesives

· 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

· Informing department: chemikalieninfo@murexin.com

1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

- · Hazard statements Void
- Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]. May produce an allergic reaction.

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:

• •		
CAS: 108-32-7 EINECS: 203-572-1	propylene carbonate	1-2.5%
	•	

(Contd. on page 2)

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

Trade name PARKETTKLEBSTOFF M 522

		(Contd. of page 1)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]	(Contd. of page 1) <0.1%
EINECS: 220-120-9	 Èye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 % 	
CAS: 55965-84-9 EC number: 611-341-5	 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % 	<i>≥</i> 0.00025-<0.0025%

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information No special measures required.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. • After swallowing

- Rinse out mouth and then drink plenty of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- [•] 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures *Wear protective clothing.*

(Contd. on page 3)

GB

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

(Contd. of page 2)

Trade name PARKETTKLEBSTOFF M 522

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies. Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Protect from frost. Keep container tightly sealed.
- Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

 Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves.
- · Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

(Contd. on page 4)

GB

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

Trade name PARKETTKLEBSTOFF M 522

(Contd. of page 3)

SECTION 9: Physical and chemical properties				
· 9.1 Information on basic physical and chemical properties				
General Information				
· Colour:	Light brown			
· Smell:	Mild			
• Melting point/freezing point:	Not determined			
· Boiling point or initial boiling point and	Not dotominoù			
boiling range	100 °C (7732-18-5 water, distilled, conductivity or			
Sennig Fange	of similar purity)			
· Flash point:	Not applicable			
· pH at 20 °C	6			
· Viscosity:	Ŭ			
· Kinematic viscosity	Not determined.			
· dynamic at 20 °C:	58,800 mPas			
· Solubility	00,000 mi as			
· Water:	Not determined.			
	Not determined.			
· Steam pressure:				
· Density and/or relative density	$1.4 \mathrm{a/om^3}$			
· Density at 20 °C	1.4 g/cm³			
· 9.2 Other information				
· Appearance:				
· Form:	Pasty			
· Important information on protection of hea	•			
and environment, and on safety.				
Self-inflammability:	Product is not selfigniting.			
Explosive properties:	Product is not explosive.			
Solvent content:	,			
· Water:	8.3 %			
Solids content:	53.1 %			
· Information with regard to physical haza	ord			
classes				
· Explosives	Void			
· Flammable gases	Void			
· Aerosols	Void			
	Void			
· Oxidising gases	Void			
· Gases under pressure				
· Flammable liquids	Void			
· Flammable solids	Void			
• Self-reactive substances and mixtures	Void			
· Pyrophoric liquids	Void			
· Pyrophoric solids	Void			
Self-heating substances and mixtures	Void			
Substances and mixtures, which emit				
flammable gases in contact with water	Void			
Oxidising liquids	Void			
Oxidising solids	Void			
	Void			
Organic peroxides				
 Organic peroxides Corrosive to metals Desensitised explosives 	Void Void			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

GB

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

(Contd. of page 4)

Trade name PARKETTKLEBSTOFF M 522

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

[.] 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]

EC 50/48h 3.27 mg/l (Daphnie)

• **12.2 Persistence and degradability** No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

[·] 12.7 Other adverse effects

· Additional ecological information:

General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• *Recommendation* Smaller quantities can be disposed with household garbage.

(Contd. on page 6)

GB -

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

Trade name PARKETTKLEBSTOFF M 522

(Contd. of page 5)

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

1336-21-6 ammonia, aqueous solution

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

10%

Printing date 06.08.2024

Version number 21 (replaces version 20)

Revision: 06.08.2024

Trade name PARKETTKLEBSTOFF M 522

		(Contd. of page 6)
Releva	ant phrases	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH07	71 Corrosive to the respiratory tract.	
Contac	ct: chemikalieninfo@murexin.com (+43 02622/27401)	
	viations and acronyms:	
	glement international concernant le transport des marchandises dangereuses par c	hemin de fer (Reaulations
Concerni	ing the International Transport of Dangerous Goods by Rail)	
	ccord relatif au transport international des marchandises dangereuses par route (Europe	an Agreement Concerning
	national Carriage of Dangerous Goods by Road) nternational Maritime Code for Dangerous Goods	
	ternational Air Transport Association	
	lobally Harmonised System of Classification and Labelling of Chemicals	
	: European Inventory of Existing Commercial Chemical Substances	
	: European List of Notified Chemical Substances	
	nemical Abstracts Service (division of the American Chemical Society)	
	rsistent, Bioaccumulative and Toxic ery Persistent and very Bioaccumulative	
	ox. 3: Acute toxicity – Category 3	
	ox. 4: Acute toxicity – Category 4	
	ox. 2: Acute toxicity – Category 2	
	rr. 1C: Skin corrosion/irritation – Category 1C	
	2: Skin corrosion/irritation – Category 2 n. 1: Serious eye damage/eye irritation – Category 1	
	2: Serious eye damage/eye irritation – Category 7	
	ns. 1: Skin sensitisation – Category 1	
	ns. 1A: Skin sensitisation – Category 1A	
	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic C	Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category	1
* Data d	compared to the previous version altered.	
		GB