GB

Safety data sheet according to UK REACH

Printing date 04.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Polyurethane resin
- · 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Contains epoxy constituents. May produce an allergic reaction.
- Contains 4-morpholinecarbaldehyde. May produce an allergic reaction.
- Safety data sheet available on request.
- Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture consisting of the following components with harmless additives.

 Dangerous components:

CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural substance with a Community workplace exposure limit	25-50%
CAS: 1675-54-3 EINECS: 216-823-5	Bisphenol A epoxy resin Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ % Skin Irrit. 2; H315: $C \ge 5$ %	20.5-<1%

Printing date 04.12.2024

Version number 7 (replaces version 6)

Revision: 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

	()	Contd. of page 1)
CAS: 4394-85-8	4-morpholinecarbaldehyde	≥0.1-<0.5%
EINECS: 224-518-3	🚸 Skin Sens. 1B, H317	-
CAS: 933999-84-9	1,6-bis(2,3-epoxypropoxy)hexane	≥0.1-<0.5%
Reg.nr.: 01-2119463471-41		
	Aquatic Chronic 3, H412	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information No special measures required.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- [•] 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- [•] 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

GB

Printing date 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

(Contd. of page 2)

8.1 Control parameters	
Components with critical values that requi	ire monitoring at the workplace:
7727-43-7 barium sulphate, natural	
WEL Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust	
· · · · · · · · · · · · · · · · · · ·	valid during the compilation were used as basis.
8.2 Exposure controls Appropriate engineering controls No further	ar data: see section 7
Individual protection measures, such as p	
General protective and hygienic measures	
The usual precautionary measures should be	adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and fo	
Instantly remove any soiled and impregnated	
Wash hands during breaks and at the end of Breathing equipment: Use breathing protec.	
Hand protection Protective gloves.	
Material of gloves	
Nitrile rubber, NBR	
Butyl rubber, BR	
Penetration time of glove material	
The exact break trough time has to be found has to be observed.	d out by the manufacturer of the protective gloves a
Evoltano protoction Sataty alassas	
Eye/face protection Safety glasses	
Eye/face protection Safety glasses Body protection: Protective work clothing.	
Body protection: Protective work clothing.	operties
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro	
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical	
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information	mical properties
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and che General Information Physical state	mical properties
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information	mical properties
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point:	<i>mical properties</i> Fluid According to product specification
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and	mical properties Fluid According to product specification Characteristic Not determined
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range	mical properties Fluid According to product specification Characteristic
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i>
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower:	mical properties Fluid According to product specification Characteristic Not determined Not determined Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper:	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point:	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i> . <i>Not determined</i> . <i>Not determined</i> . <i>>200 °C</i>
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical pro General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: pH	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: pH Viscosity:	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i> <i>Not determined</i> . <i>Not determined</i> . <i>>200 °C</i> <i>Not determined</i> .
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical pro- General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: pH Viscosity: Kinematic viscosity	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i> . <i>Not determined</i> . <i>Not determined</i> . <i>>200 °C</i>
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: pH Viscosity:	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i> . <i>Not determined</i> . <i>>200 °C</i> <i>Not determined</i> . <i>Not determined</i> . <i>Not determined</i> .
Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: pH Viscosity: Kinematic viscosity dynamic: Solubility Water:	<i>mical properties</i> <i>Fluid</i> <i>According to product specification</i> <i>Characteristic</i> <i>Not determined</i> <i>Not determined</i> . <i>Not determined</i> . <i>>200 °C</i> <i>Not determined</i> . <i>Not determined</i> . <i>Not determined</i> .
Body protection: Protective work clothing. SECTION 9: Physical and chemical provide the second state of t	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical provide the second state of t	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical provide the second state of t	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical provide the second state of t	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. Not determined.
Body protection: Protective work clothing. SECTION 9: Physical and chemical provide the second state of t	mical properties Fluid According to product specification Characteristic Not determined Not determined. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.

Printing date 04.12.2024

Version number 7 (replaces version 6)

Revision: 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

		(Contd. of page 3
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical haz	ard	
classes		
· Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
• Substances and mixtures, which emit		
flammable gases in contact with water	Void	
• Oxidising liquids	Void	
Oxidising solids	Void	
[·] Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• **Conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1675-54-3 Bisphenol A epoxy resin

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

4394-85-8 4-morpholinecarbaldehyde

Dermal LD50 >18,300 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB -

Printing date 04.12.2024

Version number 7 (replaces version 6)

Revision: 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

(Contd. of page 4)

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

• vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed with household garbage.
- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

[.] 14.1 UN number or ID number		
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
· Class	Void	

Printing date 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

		(Contd. of page 5)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 7)

GB

GE

Safety data sheet according to UK REACH

Printing date 04.12.2024

Version number 7 (replaces version 6)

Revision: 04.12.2024

Trade name POLYURETHANBESCHICHTUNG PU 300 KOMP. A

(Contd. of page 6)

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

** Data compared to the previous version altered.