Printing date 11.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Sealing

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

	<i>ining components of labelling:</i> d, Low-chromate according to EU-VO 1907/2006 (REACH) ents
H318 Causes se	erious eye damage.
· Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust.
P280	Wear eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· 2.3 Other hazar	rds
· Results of PBT	and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 2)

GB

Printing date 11.02.2025

Version number 6 (replaces version 5)

Revision: 11.02.2025

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

(Contd. of page 1)

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:

CAS: 65997-15-1 EINECS: 266-043-4	Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)	<i>≥</i> 3-<5%
	 Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Allow to solidify. Collect mechanically.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB -

Printing date 11.02.2025

Version number 6 (replaces version 5)

Revision: 11.02.2025

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

(Contd. of page 2)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Thorough dedusting.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store under dry conditions.

Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m3

*inhalable dust **respirable dust

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- The usual precautionary measures should be adhered to in handling the chemicals.
- Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Breathing protection recommended. Filter P2.

- · Hand protection
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed safety glasses.

(Contd. on page 4)

GB -

Printing date 11.02.2025

Version number 6 (replaces version 5)

Revision: 11.02.2025

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

· Body protection: Protective work clothing.

9.1 Information on basic physical and cher	mical properties	
General Information		
Physical state	Solid.	
Colour:	Grey	
Smell:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	Not determined	
Flammability	Not determined.	
Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
pH	Alkaline	
pri	Not applicable.	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Partly miscible	
	T ally misciple	
Partition coefficient n-octanol/water (log	Not determined.	
value) Stoom processo at 1722 °Cs		
Steam pressure at 1732 °C:	13.5 hPa	
Density and/or relative density	Not determined	
Density	Not determined	
Relative density	Not determined.	
Settled apparent density	900-1,100 kg/m ³	
Vapour density	Not applicable.	
9.2 Other information		
Appearance:		
Form:	Powder	
Important information on protection of hea	nlth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Solvent content:		
Solids content:	100.0 %	
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical haza	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
	VOIU	

(Contd. of page 3)

Printing date 11.02.2025

Revision: 11.02.2025

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

		(Contd. of page 4)
· Self-heating substances and mixtures	Void	
• Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Serious eye damage/irritation Causes serious eye damage.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Must not reach sewage water or drainage ditch undiluted or unneutralised.
- Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 6)

GB

Printing date 11.02.2025

Version number 6 (replaces version 5)

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

- Regulated poisons
- None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB -

GB

Safety data sheet according to UK REACH

Printing date 11.02.2025

Revision: 11.02.2025

Trade name PROFI DICHTFOLIE SCHNELL MAXIMO PSM 1K

(Contd. of page 6)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

	6: Other information
	tion is based on our present knowledge. However, this shall not constitute a guarant fic product features and shall not establish a legally valid contractual relationship.
H318 Causes	rases s skin irritation. s serious eye damage. use respiratory irritation.
Abbreviation RID: Règlemen Concerning the ICAO: Internatio ADR: Accord re the Internationa. IMDG: Internatio IATA: Internatio GHS: Globally F EINECS: Europe ELINCS: Europe CAS: Chemical PBT: Persistent vPvB: very Pers Skin Irrit. 2: Skin	emikalieninfo@murexin.com (+43 02622/27401) ns and acronyms: t international concernant le transport des marchandises dangereuses par chemin de fer (Regulation International Transport of Dangerous Goods by Rail) nal Civil Aviation Organisation latif au transport international des marchandises dangereuses par route (European Agreement Concern Carriage of Dangerous Goods by Road) onal Maritime Code for Dangerous Goods hal Air Transport Association larmonised System of Classification and Labelling of Chemicals ean Inventory of Existing Commercial Chemical Substances has to Notified Chemical Substances Abstracts Service (division of the American Chemical Society) Bioaccumulative and Toxic istent and very Bioaccumulative n corrosion/irritation – Category 2
суе Бані. Т. Зе	rious eye damage/eye irritation – Category 1 ecific target organ toxicity (single exposure) – Category 3