Printing date 02.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- [•] 1.1 Product identifier
- Trade name SANIERMÖRTEL SM 20
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Redeveloping plaster mortar
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

🖆 🛃 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- [.] Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- calcium oxide
- [.] Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust.
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

Trade name SANIERMÖRTEL SM 20

	(Contd. of page 1)
P310	Immediately call a POISON CENTER/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· 2.3 Other hazar	rds

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components with harmless additives.

· Dangerous components:

2 angel e a e e e mper		
CAS: 65997-15-1	Cement portland, Low-chromate according to EU-VO 1907/2006	25-50%
EINECS: 266-043-4	(REACH)	
	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	
	🚯 Škin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-78-8	calcium oxide	1-2.5%
EINECS: 215-138-9	📀 Eye Dam. 1, H318	
	▼ 2 = = 0 = =	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation

In case of unconsciousness bring patient into stable side position for transport. Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.

[•] 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

[.] 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

Trade name SANIERMÖRTEL SM 20

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 7 for information on sere nandling See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

Store under dry conditions.

• Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

1305-78-8 calcium oxide

WEL Short-term value: 4* mg/m³

Long-term value: 2 1* mg/m³

*respirable fraction

· Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

(Contd. on page 4)

GB

- GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

Trade name SANIERMÖRTEL SM 20

	(Contd. of page				
Breathing equipment:					
Not necessary if room is well-ventilated.					
Filter P2.					
Hand protection					
Protective gloves.					
The glove material has to be impermeable	e and resistant to the product/ the substance/ t				
preparation.					
Material of gloves					
Butyl rubber, BR					
Nitrile rubber, NBR					
Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability. The selection of the suitable gloves does not only depend on the material, but also on further mark					
Penetration time of glove material					
	out by the manufacturer of the protective gloves a				
has to be observed.	, , ,				
Eye/face protection Tightly sealed safety glas	sses				
Body protection: Protective work clothing.					
Deay protection: Protective work cleaning.					
SECTION 9: Physical and chemical pro	portios				
SECTION 9. Physical and chemical pro	pernes				
9.1 Information on basic physical and chen	nical properties				
General Information					
Physical state	Solid.				
Colour:					
	Grey				
Smell:	Characteristic				
Odour threshold:	Not determined.				
Melting point/freezing point:	Not determined				
Boiling point or initial boiling point and					
boiling range	Not determined				
Flammability	Not applicable.				
Lower and upper explosion limit					
Lower:	Not determined.				
Upper:	Not determined.				
Flash point:	Not applicable				
Decomposition temperature:	Not determined.				
рН	Not applicable.				
Solubility	net applicable.				
Water:	Partly miscible				
Water.					
Partition coofficient n octanol/water /log					
	Not determined				
value)	Not determined.				
value) Steam pressure at 1732 °C:	Not determined. 13.5 hPa				
value) Steam pressure at 1732 °C: Density and/or relative density	13.5 hPa				
value) Steam pressure at 1732 °C: Density and/or relative density Density	13.5 hPa Not determined				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density	13.5 hPa Not determined Not determined.				
Partition coefficient n-octanol/water (log value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density	13.5 hPa Not determined				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density	13.5 hPa Not determined Not determined.				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information	13.5 hPa Not determined Not determined.				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance:	13.5 hPa Not determined Not determined. Not applicable.				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form:	13.5 hPa Not determined Not determined. Not applicable. Powder				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea	13.5 hPa Not determined Not determined. Not applicable. Powder				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety.	13.5 hPa Not determined Not determined. Not applicable. Powder Ith				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Self-inflammability:	13.5 hPa Not determined Not determined. Not applicable. Powder Ith Product is not selfigniting.				
 value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Self-inflammability: Explosive properties: 	13.5 hPa Not determined Not determined. Not applicable. Powder Ith				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Self-inflammability:	13.5 hPa Not determined Not determined. Not applicable. Powder Ith Product is not selfigniting. Product is not explosive.				
value) Steam pressure at 1732 °C: Density and/or relative density Density Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety. Self-inflammability: Explosive properties:	13.5 hPa Not determined Not determined. Not applicable. Powder Ith Product is not selfigniting.				

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

Trade name SANIERMÖRTEL SM 20

	(Co	ntd. of page
Solids content:	100.0 %	
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

(Contd. of page 5)

Trade name SANIERMÖRTEL SM 20

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- [.] 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IĂTA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi	ing to	
IMO instruments	Not applicable.	
		(Contd. on page

Printing date 02.06.2023

Version number 5 (replaces version 4)

Revision: 02.06.2023

(Contd. of page 6)

Trade name SANIERMÖRTEL SM 20

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[.] Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

** Data compared to the previous version altered.

GB