Printing date 05.09.2023 Version number 4 (replaces version 3) Revision: 05.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name SPEZIALVERSIEGELUNG WD TOP+
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Priming
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MUREXIN GmbH

Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

Informing department:

chemikalieninfo@murexin.com chemikalieninfo@murexin.com

· 1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

trimethoxyvinylsilane

4-morpholinecarbaldehyde

Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.
P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

(Contd. on page 2)

Printing date 05.09.2023 Version number 4 (replaces version 3) Revision: 05.09.2023

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 1)

· Additional information:

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture consisting of the following components with harmless additives.

CAS: 12001-26-2	Mica	10-25%
	substance with a Community workplace exposure limit	
CAS: 13463-67-7	titanium dioxide	5-10%
EINECS: 236-675-5	🕸 Carc. 2, H351	
CAS: 13822-56-5	3-(trimethoxysilyl)propylamine	1-2.5%
EINECS: 237-511-5	Eye Dam. 1, H318Skin Irrit. 2, H315	
CAS: 2996-92-1	Trimethoxyphenylsilan	1-2.5%
EINECS: 221-066-9	Consisting of: 67-56-1 methanol (0.05%)	
Reg.nr.: 01-2119964479-19-	♦ Flam. Liq. 3, H226 ♦ STOT RE 2, H373	
0001		
	♦ Acute Tox. 4, H302	
CAS: 2768-02-7	trimethoxyvinylsilane	1-2.5%
EINECS: 220-449-8	🚸 Flam. Liq. 3, H226	
Reg.nr.: 01-2119513215-52- xxxx	Acute Tox. 4, H332; Skin Sens. 1, H317	
CAS: 6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	<0.5%
EINECS: 229-713-7	Acute Tox. 3, H301 Skin Corr. 1B, H314; Eye Dam. 1, H318	
CAS: 4394-85-8	4-morpholinecarbaldehyde	<i>≥</i> 0.1-<0.5%
EINECS: 224-518-3		<i>≥</i> 0.1-<0.07
EINEUS. 224-310-3	💠 Skin Sens. 1B, H317	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SR.

Printing date 05.09.2023 Version number

Version number 4 (replaces version 3)

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 2)

Revision: 05.09.2023

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Keep dirty washing water for appropriate disposal.

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep containers tightly sealed.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

12001-26-2 Mica

WEL Long-term value: 10* 0.8** mg/m³
*total inhalable **respirable

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

(Contd. on page 4)

Printing date 05.09.2023 Version number 4 (replaces version 3) Revision: 05.09.2023

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 3)

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use breathing protection only when aerosol or mist is formed.

Filter A/P2.

· Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Smell: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range >300 °C (Silanterminiertes Prepolymer)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.

· Flash point: 95 °C

· **Decomposition temperature:** Not determined.

· **pH** Mixture is non-soluble (in water).

Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

· Solubility

· Water: Not determined.

· Partition coefficient n-octanol/water (log

value) Not determined.
Steam pressure: Not determined.

· Density and/or relative density

Density at 20 °C
Relative density
Not determined.
Vapour density
Not determined.

9.2 Other information

· Appearance:

Form: Fluid

(Contd. on page 5)

Printing date 05.09.2023 Version number 4 (replaces version 3) Revision: 05.09.2023

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 4)

•	Important information or	1	protection	of health
	and environment, and or	1	safety.	

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Solvent content:

· Solids content: 43.4 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

· Conditions to be avoided: No decomposition if used according to specifications.

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values	that are relevant for classification:

2996-92-1 Trimethoxyphenylsilan					
Oral	LD50	1,049 mg/kg (rat)			
Dermal	LD50	1,049 mg/kg (rat) 3,014 mg/kg (rabbit)			
		nethoxyvinylsilane			
Oral	LD50	7,130 mg/kg (rat)			

Dermal	LD50	3,260 mg/kg (rabbit)
6674-22	2-2 1,8-	diazabicyclo[5.4.0]undec-7-ene

Oral LD50 251-300 mg/kg (rat)

(Contd. on page 6)

Revision: 05.09.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.09.2023 Version number 4 (replaces version 3)

Trade name SPEZIALVERSIEGELUNG WD TOP+

Dermal LD50 >1,233 mg/kg (rabbit)

4394-85-8 4-morpholinecarbaldehyde

Dermal LD50 >18,300 mg/kg (rabbit)

- · Serious eye damage/irritation Causes serious eye irritation.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

I E. I I OXIO	•••
· Aquatic to	xicity:
2996-92-1	Trimethoxyphenylsilan
EC 50/48h	>100 mg/l (G)
EC 50	>100 mg/l (Acartia Tonsa)
LC50	>100 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene
EC 50/48h	50 mg/l (G)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key number:

55905

Leim- und Klebemittelabfälle, nicht ausgehärtet ausgestuft

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

GB

Printing date 05.09.2023 Version number 4 (replaces version 3) Revision: 05.09.2023

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 6)

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

Printing date 05.09.2023

Version number 4 (replaces version 3)

Trade name SPEZIALVERSIEGELUNG WD TOP+

(Contd. of page 7)

Revision: 05.09.2023

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Carc. 2: Carcinogenicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.