

MUREXIN

Compact Systems

Floor laying in record time!

Parquet & flooring technology



It lasts.

Floor laying in record time

with **MUREXIN** Compact Systems

Time is a decisive factor on every construction site. **MUREXIN** Compact Systems radically accelerate floor laying! The ideal system exists for every floor covering.

Less wasted time

Long drying times combined with different work steps mean countless trips to the construction site for the processor. The result: a lot of money and time needlessly wasted.

Super-fast drying times

The new compact systems shorten the processing time many times over. Optimally coordinated system components - consisting of primer, levelling material and adhesive - have super-fast drying times, regardless of layer thickness!

MUREXIN has always meant stability with simultaneous efficiency. Together with our partners and customers, we want to build something that we can rely upon. A foundation that rests on the strictest environmental standards and product innovations. At MUREXIN, we are distinguished not only by our products, but also the many services that we offer our customers and partners.

Benefits

- Less time wasted
- Super-fast drying times
- Dust-reduced
- Solvent-free & odourless
- Low emissions



Compact System 1

2-hour compact system for elastic & textile floor coverings

Elastic and textile floor coverings can now be laid in a very short time. The products of the 2-hour compact system from MUREXIN have extremely fast drying times. The floor can be primed, filled, and the elastic or textile floor covering subsequently glued in just 2 hours.

Rapid Filling Compound **SL 52**

The main role is played by the Rapid Filling Compound **SL 52**. The dust-reduced special filler enables carpet, PVC and all other coverings to be laid with speed. Self-levelling, it impresses with its economical consumption.

Layer thicknesses of up to 15 mm

The Rapid Filling Compound **SL 52** enables a layer thickness of up to 20 mm, with the same drying time! The rapid filling compound is used on cement screeds and all standard-compliant substrates.



1. Special adhesive primer **DX 9** must be applied evenly to absorbent and non-absorbent surfaces.



2. If possible, Rapid Filling Compound **SL 52** should be applied to the primed surface in a single application until the desired layer thickness is achieved.



3. To ensure optimal flow, the Rapid Filling Compound **SL 52** can be vented using a spiked roller.



4. Elastic and textile floor coverings can be bonded with the design covering adhesive **D 495** or with the floor covering adhesive **Quattro Floor D 444**, or the special design floor covering adhesive **X-Bond MS-K 499**.

12-hour compact system for parquet

Laying parquet in 12 hours: the compact systems from **MUREXIN** make it possible! Priming, levelling and bonding with extremely short drying times.

Parquet laying in 12 hours instead of several days

From now on, it longer takes a week to lay parquet. The new 12-hour compact system shortens the processing time many times over thanks to super-fast drying times. Optimally coordinated system components - consisting of primer, levelling material and adhesive - make this possible.

Rapid Filling Compound **SL 52**

The main role is played by the Rapid Filling Compound **SL 52**. The self-levelling special filler enables parquet to be laid especially quickly. The parquet can be glued after just a few hours, in compliance with the standard specifications. Hydraulically binding, it impresses with its economical consumption.



12 hours Compact System

PRIMER:

for absorbent and non-absorbent substrates:
Special Adhesive Primer **DX 9**

FILLER:

Rapid Filling Compound **SL 52**

ADHESIVE:

Special adhesive
X-Bond MS-K 88
Parquet adhesive
X-Bond MS-K 530
Parquet adhesive
X-Bond MS-K 539



1. Special adhesive primer **DX 9** must be applied evenly to absorbent and non-absorbent surfaces.



2. If possible, Rapid Filling Compound **SL 52** should be applied to the primed surface in a single application until the desired layer thickness is achieved.



3. To ensure optimal flow, the Rapid Filling Compound **SL 52** can be vented using a spiked roller.



4. All types of parquet and wood can be bonded with Special Adhesive **X-Bond MS-K88**, Parquet Adhesive **X-Bond MS-K530** or Parquet Adhesive **X-Bond MS-K539**.



Products

Priming and filling



Special Adhesive Primer **DX 9**

Adhesion-enhancing, single-component, ready-to-use, solvent-free primer based on special dispersion. As a penetrating primer (can be diluted up to 1:3) suitable for absorbent, mineral substrates such as cement, anhydrite and magnesite screeds (also for underfloor heating systems). As an adhesion enhancer for non-absorbent substrates such as synthetic resin coatings, ceramic tiles and moisture barriers. Not suitable on PUR pre-coatings and unsanded as well as on OSB boards treated with Conti-Finish. Can be used indoors and protected outdoor areas.




Rapid Filling Compound **SL 52**

Powdery, self-levelling, resin-modified, hydraulically setting special filling compound based on special cement for subsequent quick laying. Only indoors to produce even substrates in layer thicknesses of up to 20 mm before laying elastic floor coverings and parquet. Suitable for underfloor heating systems and castor wheel loads.



Parquet adhesive **X-Bond MS-K 539**

High-quality, single-component, water- and solvent-free adhesive based on MSP technology. Free from migrating components and no damaging interactions with Murexin parquet varnishes. Only indoors for gluing of strip parquet according to DIN EN 13226, edgewise according to DIN EN 14761, mosaic parquet according to DIN EN 13488 and solid boards. Also for 2- and 3-layer multi-layer parquet and for approved laminate floors.



Adhesion



Special Adhesive **X-Bond MS-K 88**

High-quality, single-component, permanently elastic, water and solvent-free universal adhesive based on MSP technology. Suitable for almost all substrates and for all types of parquet with tongue and groove connections. Indoors and outdoors. For the adhesion of parquet, ceramics, tiles and stone, as well as for insulation materials and combination gluing. Not suitable for bituminous materials (e.g., mastic asphalt) or polypropylene.




Special design covering adhesive **X-Bond MS-K 499**

Single-component special adhesive tested according to DIN EN 14259 on STP base for adhesion of LTV design covers, homogeneous and heterogeneous PVC covers in membranes and tiles, CV covers, rubber coverings in membranes and tiles (up to 10 mm, higher covering thicknesses in consultation), dirt traps and artificial turf surfaces. For bonding of absorbent and non-absorbent substrates indoors and outdoors. Especially for increased thermal and mechanical loads. Waterproof and weather-resistant.



Floor covering adhesive **Quattro Floor D 444**

Very low-emission, high-quality, extremely adhesive multifunctional adhesive for flexible and textile floor coverings. For homogeneous and heterogeneous PVC coverings in sheets, PVC design coverings in planks and tiles, linoleum coverings, rubber coverings up to 4 mm, textile coverings with all common backings, as well as light needle-felt coverings. Also suitable for contact bonding. Minimizes shrinkage and residual impression of the floor coverings, hard adhesive ridges with high heat resistance, quick application.



MUREXIN

MUREXIN GmbH

A-2700 Wiener Neustadt, Franz von Furtenbach Straße 1
Tel.: +43/2622/27 401-0, E-Mail: info@murexin.com

Deutschland: Murexin GmbH

D- 63165 Mühlheim am Main, Industriestraße 25-27
Tel.: +49/6108 7099-2000
E-Mail: info@murexin.de

Ungarn: Murexin Kft.

H-1103 Budapest, Noszlopy u. 2-6.
Tel.: +36/1/262 60 00
E-Mail: murexin@murexin.hu

Tschechien: Murexin spol. s. r. o.

CZ-664 42 Modřice, Brněnská 679
Tel.: +420/5/484 26 711,
E-Mail: murexin@murexin.cz

Slowakei: Murexin spol. s. r. o.

SK-831 04 Bratislava, Odborárska 52
Tel.: +421/2/492 77 224
E-Mail: murexin@murexin.sk

Slowenien: Murexin d.o.o.

SLO-9201 Puconci, Puconci 393
Tel.: +386/2/545 95 00
E-Mail: info@murexin.si

Rumänien: MUREXIN SRL

RO-077045 Chitila, Catted Business Park Chitila
Tel.: +4/021/252 62 51
E-Mail: info@murexin.ro

Frankreich: Murexin France Sarl,

FR-67100 Strasbourg, 28 Rue Schweighaeuser
Tel.: +33/607 262 438
E-Mail: info@murexin.fr

Kroatien: Murexin d. o. o.

HR-10255 Donji Stupnik, Stupničke Škipkovine 4b
E-Mail: info@murexin.hr

Schweiz: Murexin AG

CH-8303 Bassersdorf, Hardstrasse 20
Tel.: +41/44/877 70 30
E-Mail: info@murexin.ch

Vertrieb für Italien:

Murexin GmbH, A-2700 Wiener Neustadt, Franz von Furtenbach Straße 1, Tel.: +43(0)2622/27 401-0, E-Mail: info@murexin.com

Sales for Italy:

Murexin GmbH, A-2700 Wiener Neustadt, Franz von Furtenbach Strasse 1, Tel.: +43(0)2622/27 401-0, Fax: +43(0)2622/27 401-173, Email: info@murexin.com

Subject to typesetting and printing errors. **Edition: 01/2024.** We would like to point out that the photos used are only symbolic photos and that these objects do not require our products but only demonstrate areas of application, unless they are explicitly mentioned as reference objects.

It lasts.